

Resource Consent Application Form 8F

Discharge to air from farm waste management



Otago
Regional
Council

This application is made under Section 88 of the
Resource Management Act 1991

Website: www.orc.govt.nz

IMPORTANT NOTES TO THE APPLICANT

This form is to be used for applicants wishing to discharge contaminants to air, including odour, from farm waste management. Ensure that you complete this application Form 8F **and** Resource Consent Application Form 1 **in full**.

If all the necessary information is not entered on the form or supplied with the application then Otago Regional Council may **return your application**, request further information, or publicly notify your application. This will lead to delays in the processing of your application and may increase processing costs. This application form, when properly completed, should provide an adequate "Assessment of Effects on the Environment" (AEE) where the adverse effects of a proposal are not significant. However, this can only be determined on application.

PART A: GENERAL

A.1 Is this application (*tick which applies*):

- for a NEW discharge to air; or
- to REPLACE a current Discharge Permit?

Discharge Permit number: _____

Expiry date: _____

A.2 (a) Is the application in relation to:

- Effluent storage/treatment pond
- Land application of effluent
- Other (please state)

(b) What is the purpose of the effluent disposal and/or storage:

(e.g. storage of waste from dairy shed)

A.3 Why is consent needed?

Tick the option(s) that apply to the proposed discharge:

- Effluent pond is located within 150 metres of the closest part of the property boundary
- Land application will occur within 150 metres of a residential dwelling on a neighbouring property or a building used for employment purposes on a neighbouring property
- Land application will occur within 20 metres of a formed public road
- Land application will occur within 150 metres of a public place of assembly or public amenity area
- The volume of a BOD₅* in the liquid effluent will exceed 700 kilograms per day
- Discharge is noxious, dangerous, offensive and/or objectionable beyond the property boundary

*BOD₅ is the amount of dissolved oxygen consumed in five days by biological processes breaking down organic matter. Samples of the liquid effluent can be taken and tested to determine the level of BOD.

PART B: LOCATION OF DISCHARGE

B.1 Property on which discharge is to occur

(a) **Legal description of disposal site*** (as shown on Certificate of Title)

Lot _____ DP _____ Sec _____
Survey District (SD) _____
Other (specify) _____

*Note: If more than one location is proposed please fill in a separate Form 8F.

(b) **Map reference of the mid-point of the pond/disposal area**

NZTM 2000 E _____ N _____

B.2 Provide a plan and photographs showing the location of the pond / disposal area – please also clearly mark the following on the maps or photographs providing distances and road names as appropriate *:

- The location of all dwelling/building(s) within 200 metres of the location
- The location of any formed public roads (including road names)
- The location of property boundaries
- The location of any public assembly points or public amenity areas
- Any surface watercourses
- The direction of north

*An example plan is attached at the rear of this application form for your reference

C.3 Please provide dimensions of the effluent pond/effluent disposal area: (Note: this can include average depth or average application depth, width, length, type of lining material to be used (if any) and if the walls will be battered etc). Design drawings may be attached to this application.

Plans/Drawings attached

C.4 Is the effluent pond/land disposal area situated on flat land?

Yes

No

If no, please provide details of the topography in the disposal area and in the immediate surrounding area:

C.5 (a) What is the prevailing wind direction (e.g. south-west)*:

(b) Approximately how many days per year is the site windy*?

*please provide some meteorological information/data to support the answers to C.b. Useful internet links are shown below.

<http://www.niwa.co.nz/our-science/climate/our-services/data>

<http://growotago.orc.govt.nz/>

PART D: Assessment of Effects

D.1 Why has the proposed discharge location been chosen over any other location? (What alternative locations and/or storage methods have been considered?)

E.2 If no parties are considered affected by this application please discuss why not:

PART F: DEPOSIT

A deposit is required upon lodgement of your application. Refer to the fees on Form 1. This deposit is not the final or maximum cost of your application. Further charges are incurred in accordance with Councils scale of fees and charges.

F.1 Deposit Enclosed

- No If no deposit is enclosed and no request to invoice then the application will be returned under Section 88 of the Act. If an invoice is requested, this has to be paid before we will commence processing of the application.
- Yes

PART K: CHECK LIST

K.1 In order to submit a complete application, have you remembered to?

- Fully completed this application form and Form 1?
- Attached a detailed site map? *Refer to B.2*
- Attached specifications and/or operation manuals? *Refer to C.2(c)*
- Attached any written approvals? *Refer to E.1*
- Paid your deposit or attached a cheque? *Refer to F.1*

To keep consent processing costs to a minimum it is strongly recommended that the checklist is complete and all items required are attached **before** you lodge your application to the Otago Regional Council.

If you have any queries relating to information requirements, please contact the Otago Regional Council Offices:

Dunedin Office
70 Stafford St
Private Bag 1954
Dunedin 9054
Phone 03 474
0827

Alexandra Office
Dunorling St
PO Box 44
Alexandra 9340
Phone 03 448 8063

Queenstown Office
Cnr Shotover & Camp St
PO Box 958
Queenstown 9348
Phone 03 442 5681

Freephone: 0800 474 082
Website: www.orc.govt.nz
Example for Question B.2

