Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
Interpretation					
Drinking water	22 6	has the same meaning as in Standard 14 of the National Planning Standards 2019 (as set out in the box below) means water intended to be used for human consumption; and includes water intended to be used for food preparation, utensil washing, and oral or other personal hygiene No change.	Contact supports this definition as it is consistent with the National Planning Standards.	No changes requested.	Retain the provision as r
Natural hazard works	30	has the same meaning as in regulation 51(1) of the National Environmental Standard for Freshwater 2020 (as set out in the box below) means works for the purpose of removing material, such as trees, debris, and sediment, that— (a) is deposited as the result of a natural hazard, and (b) is causing, or is likely to	Contact supports this definition as it is consistent with the National Environmental Standard.	No changes requested.	Retain the provision as r
	6	cause, an immediate hazard to people or property No change.	_		
	185				
Other infrastructure	31	has the same meaning as in regulation 3 of the National Environmental Standard for Freshwater 2020 (as set out in the box below) means infrastructure, other than specified infrastructure, that was lawfully established before, and in place at, the close of 2 September 2020	Contact supports this definition as it is consistent with the National Environmental Standard.	No changes requested.	Entire provision deleted.
	6 185	Same as above.			

	C Hunter Evidence Amendments
notified.	No further amendments required.
notified.	No further amendments required.
1.	No further amendments required. Accept the reasons stated in the S.42A report. This term will no longer be used in the pORPS and consequently, it can be deleted.

¹ Proposed Otago Regional Policy Statement – Parts considered to be a Freshwater Planning Instrument under section 80A of the Resource Management Act 1991, notified 15 September 2022 ² This version shows the changes supported by Council officers in the Background document – Freshwater Planning Instrument (prepared for information purposes only), dated 30 September 2022, including changes in the previous section 42A report (shown in black) and draft supplementary evidence (shown in red).

³ NB green is used either in strikethrough or <u>underlining</u> to represent amendments to the background document version sought by Contact.

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
Over-allocation	6-7	has the same meaning as in clause 1.4 of the National Policy Statement for Freshwater Management 2020 (as set out in the box below) in relation to both the quantity and quality of freshwater, is the situation where: (a) resource use exceeds a limit; or (b) if limits have not been set, an FMU or part of an FMU is degraded or degrading	Contact supports this definition as it is consistent with the National Policy Statement.	No changes requested.	 Over-allocation, or over has the same meaning a clause 1.4 of the Nationa Statement for Freshwate Management 2020 (as s the box below) in relation to both the quand quality of freshwater means the situation where (a) resource use exceed or (b) if limits have not been FMU or part of an FI degraded or degraded or degraded or degraded or degraded or degraded or levironmental flow or levit under clause 3.16.
Specified infrastructure	36	 has the same meaning as in clause 3.21 of the National Policy Statement for Freshwater Management 2020 (as set out in the box below) means any of the following: (a) infrastructure that delivers a service operated by a lifeline utility (as defined in the Civil Defence Emergency Management Act 2002), (b) regionally significant infrastructure identified as such in a regional policy statement or regional plan, (c) any public flood control, flood protection, or drainage works carried out: (i) by or on behalf of a local authority, including works carried out for the purposes set out in section 133 of the Soil Conservation and Rivers Control Act 1951, or (ii) for the purpose of drainage by drainage districts under the Land Drainage Act 1908 	Contact supports this definition as it is consistent with the National Policy Statement.	No changes requested.	Entire provision deleted.

	C Hunter Evidence Amendments
allocated s in l Policy r et out in antity , is re: ds a limit; en set, an MU is ling; or of an vel set for	No further amendments required. Accept the S.42A report author's view that amending the definition to align with the most recent version of the NPS-FM is appropriate.
	This may be necessary to be retained given that it is within the NPSFM and NESFW and links specifically to how regionally significant infrastructure is defined in the RPS.

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
	6 187	Same as above.			
Specified rivers and lakes	37	has the same meaning as in Appendix 3 of the National Policy Statement for Freshwater Management 2020 (as set out in the box below) means: (a) rivers that are fourth order or greater, using the methods outlined in the River Environment Classification System, National Institute of Water and Atmospheric Research, Version 1, and (b) lakes with a perimeter of 1.5km or more Same as above.	Contact supports this definition as it is consistent with the National Policy Statement.	No changes requested.	Retain the provision as no
Wetland utility structure	42	 has the same meaning as in regulation 3 of the National Environmental Standard for Freshwater 2020 (as set out in the box below) (a) means a structure placed in or adjacent to a wetland whose purpose, in relation to the wetland, is recreation, education, conservation, restoration, or monitoring, and (b) for example, includes the following structures that are placed in or adjacent to a wetland for a purpose described in paragraph (a): (i) jetties (ii) boardwalks and bridges connecting them, (i) walking tracks and bridges connecting them, (ii) signs, (iii) bird-watching hides, (iv) monitoring devices, (v) maimai 	Contact supports this definition as it is consistent with the National Environmental Standard.	No changes requested.	Retain the provision as not
SRMR					

	C Hunter Evidence Amendments
otified.	No further amendments required.
otified.	No further amendments required.

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
SRMR-15	75	SRMR-I5 – Freshwater demand exceeds capacity in some places Statement In water-short catchments, freshwater availability may not be able to meet competing demands from the health and well-being needs of the environment, the health and well- being needs of people, and the ability of people and communities to provide for their social, economic and cultural well-being. Many of these catchments are also experiencing urban growth, changes in rural land uses, and increased demand for hydro-electric generation. Individually and cumulatively these can alter demand including further increases in demand on freshwater supply. Some catchments are complex, making it challenging to identify or mitigate these effects. Context Freshwater, including rivers and streams, lakes, groundwater systems, and wetlands, is a finite resource, critical to the environment, society and the economy. In Otago, access to, allocation, and use of freshwater reflects current demands and historical development associated with "deemed permits" (water permits under the RMA 1991) and a permissive water resource management regime. The deemed permits originated from mining licences issued under historic mining legislation and which enable water to continue to be used for a range of uses until October 2021. Population growth and land-use intensification in urban and rural environments can create increased demand for freshwater for human consumption, irrigation and other economic uses. Freshwater resources in some places are reaching, or are beyond, their sustainable abstraction limits. However, there continues to be	Support with amendments. Contact generally agrees with the originally notified version of SRMR- I5 but seeks amendments to appropriately recognise the critical importance of freshwater in supporting hydroelectric (renewable) power schemes, which form a core part of climate change mitigation, and are therefore an essential part of protecting the environment as well as providing for the economic and social wellbeing of people and communities. This change is also required to give effect to the NPSREG. In addition, Contact does not agree with some of the amendments to the context section set out in the background version because they appear to inappropriately pre-empt or redefine the approach to Te Mana o Te Wai provided for in the National Policy Statement.	Contact seeks that the issue statement is amended to appropriately recognise the critical importance of renewable electricity generation to achieving New Zealand's emission reduction targets; and to more appropriately recognise the directions within the NPSFM and NPSREG. Suggested amendments to the background document version are set out below, by way of example: SRMR-15 – Freshwater demand exceeds capacity in some places Statement Context Freshwater, including rivers and streams, lakes, groundwater systems, and wetlands, is a finite resource, critical to the environment, society and the economy. In Otago, access to, allocation, and use of freshwater reflects current demands and historical development associated with "deemed permits" (water permits under the RMA 1991) and a permissive water resource management regime. The deemed permits originated from mining licences issued under historic mining legislation and which enable water to continue to be used for a range of uses until October 2021. Population growth and land- use intensification in urban and rural environments can create increased demand for	Refer to s42A report.

C Hunter Evidence Amendments
Accept s42A report recommendations, provided that this is coupled with the new issues statement relating to infrastructure.

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		debate in the community about how		freshwater for human	
		historical freshwater allocations can		consumption, irrigation and	
		be adjusted to achieve a balance of		other economic uses.	
		economic, environmental, social and		Freshwater resources in some	
		cultural needs.		places are reaching, or are	
		On 3 September 2020, new National		beyond, their sustainable	
		Environmental Standards for		abstraction limits. However,	
		Freshwater (NESF) and a new National		there continues to be debate	
		Policy Statement for Freshwater		in the community about how	
		Management (NPSFM) came into		historical freshwater	
		force. They have a goal of improving		allocations can be adjusted to	
		freshwater quality within five years,		achieve a balance of prioritise	
		reversing past damage and bringing		protection of the mauri of	
		New Zealand's freshwater resources,		water bodies, meet the health	
		waterways and ecosystems to a		needs of people, and provide	
		healthy state within a generation. The		for_economic, environmental,	
		NPS-FM also clarified the need to		social and cultural needs <u>well-</u>	
		provide first for the health and well-		<u>being</u> recognise Te Mana o te	
		being of water bodies and freshwater		Wai, including protecting the	
		ecosystems; then health and needs of		health and mauri of	
		people (such as drinking water); and		freshwater; and restoring the	
		finally the ability of people and		balance between the water,	
		communities to provide for their		the wider environment and the	
		social, economic, and cultural well-		<u>community.</u> .	
		being, now and in the future.		On 3 September 2020, new	
		Impact snapshot		National Environmental	
				Standards for Freshwater	
		Environmental Freshwater abstraction		(NESF) and a new National	
		call reduce water level of now and		Policy Statement for	
		connections between different water		Freshwater Management	
		bodies. This can negatively impact		(NPSFM) came into force.	
		ecosystems by anecting freshwater		They have a goal of improving	
		condition of the water body, including		freshwater quality within five	
		bod banks margin riparian		years, reversing past damage	
		vegetation connections to		degradation and bringing New	
		groundwater water chemistry (for		Zealand's freshwater	
		example by increasing concentrations		resources, waterways and	
		of pollutants) and interaction between		ecosystems to a healthy state	
		species and their habitat. How much		within a generation. The NPS-	
		an accessite is affected by taking		FM also clarified the need to	
		freshwater is determined by departure		provide first for the health and	
		from natural flow regimes taking into		well-being of water bodies	
		account magnitude frequency timing		and freshwater ecosystems;	
		duration and rate of change and		then health and needs of	
		ecosystem capacity to recover		people (such as drinking	
				water); and finally the ability of	
		Economic		people and communities to	
		Freshwater in the Otago region is a		provide for their social,	
		factor of production that directly			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
	17	contributes to human needs (urban water supply), agriculture (including irrigation), hydro-electric power supply, and mineral extraction. Freshwater also indirectly contributes to the tourism industry through maintenance of freshwater assets for aesthetic and commercial recreational purposes. Lack of freshwater can negatively impact economic output of those industries that rely on water in the production process. To varying degrees these impacts can be mitigated through water efficiency measures and innovation. At the same time other industries, such as tourism that rely on the aesthetic characteristic of rivers and lakes, do not have such opportunities available to them and instead rely on management regimes that sustain flows and water levels suitable for their activities. Social Ensuring appropriate freshwater supply for human use is available as part of planned urban growth is essential. It is possible this may require consideration of additional freshwater storage in the future. The region's freshwater assets also support a range of recreation uses, for example camping, fishing, water sports, and swimming. These values are strongly linked to environmental values and as such, reduced environmental flows have a corresponding negative impact on social and cultural values.		economic, and cultural well- being, now and in the future. Impact snapshot Economic Social Climate change and renewable electricity generation Protecting and maximising the generation capacity, storage, and operational flexibility of the Clutha Hydro Scheme is essential to climate change mitigation, which in turn is an essential part of protecting the environment as well as providing for the economic and social wellbeing of people and communities. Providing for the development, operation, maintenance, and upgrading of new and existing hydro-electricity generation also required to give effect to the NPSREG.	
	19	exceeds capacity in some places			
		Statement In water-short catchments, freshwater availability may not be able to meet competing demands from the health and well-being needs of the environment, the health and well- being needs of people, and the ability of people and communities to provide			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		for their social, economic and cultural well-being. Many of these catchments are also experiencing urban growth, changes in rural land uses, and increased demand for hydro-electric generation. Individually and cumulatively these can alter demand including further increases in demand on freshwater supply. Some catchments are complex, making it challenging to identify or mitigate these effects.			
		Context			
		Freshwater, including rivers and streams, lakes, groundwater systems, and wetlands, is a finite resource, critical to the environment, society and the economy. In Otago, access to, allocation, and use of freshwater reflects current demands and historical development associated with "deemed permits" (water permits under the RMA 1991) and a permissive water resource management regime. The deemed permits originated from mining licences issued under historic mining legislation and which enable water to continue to be used for a range of uses until October 2021.			
		Population growth and land-use			
		environments can create increased demand for freshwater for human consumption, irrigation and other economic uses. Freshwater resources in some places are reaching, or are beyond, their sustainable abstraction limits. However, there continues to be debate in the community about how historical freshwater allocations can be adjusted to achieve a balance of prioritise protection of the mauri of water bodies, meet the health needs of people, and provide for economic, environmental, social and cultural needs well-being			
		needs <u>Well-Deing</u> .			
		Environmental Standards for Freshwater (NESF) and a new National			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		Policy Statement for Freshwater Management (NPSFM) came into force. They have a goal of improving freshwater quality within five years, reversing past damage degradation and bringing New Zealand's freshwater resources, waterways and ecosystems to a healthy state within a generation. The NPS-FM also clarified the need to provide first for the health and well-being of water bodies and freshwater ecosystems; then health and needs of people (such as drinking water); and finally the ability of people and communities to provide for their social, economic, and cultural well- being, now and in the future			
		Impact snapshot			
		Environmental Freshwater abstraction can reduce water level or flow and connections between different water bodies. This can negatively impact ecosystems by affecting freshwater habitat size and the shape and condition of the water body, including bed, banks, margin, riparian vegetation, connections to groundwater, water chemistry (for example by increasing concentrations of pollutants), and interaction between species and their habitat. How much an ecosystem is affected by taking freshwater is determined by departure from natural flow regimes, taking into account magnitude, frequency, timing, duration and rate of change, and ecosystem capacity to recover.			
		Economic			
		Freshwater in the Otago region is a factor of production that directly contributes to human needs (urban water supply), agriculture <u>industry</u> (including irrigation), hydro-electric power supply, and mineral extraction. Freshwater also indirectly contributes to the tourism industry through maintenance of freshwater assets for aesthetic and commercial recreational purposes. Lack of freshwater can			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		negatively impact economic output of those industries that rely on water in the production process. To varying degrees these impacts can be mitigated through water efficiency measures and innovation. At the same time other industries, such as tourism that rely on the aesthetic characteristic of rivers and lakes, do not have such opportunities available to them and instead rely on management regimes that sustain flows and water levels suitable for their activities.			
		Social Ensuring appropriate freshwater supply for human use is available essential, including as part of planned urban growth is essential. It is possible this may require consideration of additional freshwater storage in the future. The region's freshwater assets also support a range of recreation uses, for example camping, fishing, water sports, and swimming. These values are strongly linked to environmental, human health and well- being, landscape and aesthetic values, and as such, r. Reduced environmental flows have a corresponding negative impact on social and cultural values:and people's wellbeing.			
SRMR-I6	76	SRMR–I6 – Declining water quality has adverse effects on the environment, our communities, and the economy Statement	Contact supports the proposed issue statement, including as amended in the background document version.	No changes requested.	Refer to s42A report.
		While the pristine areas of Otago generally maintain good water quality, some areas of Otago demonstrate poorer quality and declining trends in water quality which can be attributed to discharges from land use intensification (both rural and urban) and land management practices. Erosion, run-off and soil loss can lead to sediment and nutrients being			

C Hunter Evidence Amendments	
Accept s42A report recommendations, provided that this is coupled with the new issues statement relating to infrastructure.	

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		deposited into freshwater bodies resulting in declining water quality.			
		Context			
		The health of water is vital for the health of the environment, people and the economy. It is at the heart of culture and identity. Nationally, and in parts of Otago, freshwater is facing significant pressure. Population growth and land-use intensification in urban and rural environments has impacted the quality of water, increasing contamination from nutrients and sediment.			
		Water quality affects a wide range of environmental health factors, human survival needs, and cultural, social, recreational, and economic uses. Some of the biggest impacts on water quality in Otago are considered to come from agriculture and urbanisation, through diffuse discharges and point source discharges.			
		On 3 September 2020, new National Environmental Standards (NESF) and a new National Policy Statement (NPSFM) came into force to improve water quality within five years; and reverse past damage and bring New Zealand's freshwater resources, waterways and ecosystems to a healthy state within a generation.			
		Impact snapshot			
		Environmental			
		Despite the region's lakes and rivers being highly valued by Otago communities, reports indicate there are reasons for concern about water quality and its trends with consequent potential impact on ecosystems and people.			
		Water quality across Otago is variable. River water quality is best at river and stream reaches located at high or mountainous elevations under predominantly native vegetation cover, and mostly good in the upper			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
	number	Background document version2areas of large river catchment and outlets from large lakes. Water quality is generally poorer in smaller low- elevation streams and coastal shallow lakes where they receive water from upstream pastoral areas or urban catchments. For example, catchments such as the Waiareka Creek, Kaikorai Stream, and the lower Clutha catchment, have some of the worst water quality in the region; Otago's central lakes are impacted by increased population, urban development and tourism demand; other areas, such as urban streams in Dunedin, intensified catchments in North Otago and some tributaries, also have poor water quality. Between 2006 and 2017, trends in a number of water quality parameters were worsening.For E. coli, for example, 30% of sites had a probable or significant worsening trend compared to 7% of sites that had either stable or improving trends. In urban streams in Dunedin, intensified catchments in North Otago and some tributaries of the Pomahaka, E. coli was the worst performing variable. In many cases, the specific source of contamination is unknown.There are many different types and sizes of lakes in Otago. ORC monitors water quality. There have been concerns within the community about the quality			Recommendations
		of water in Lakes Wānaka, Wakatipu and Hayes.			
		Groundwater quality also varies across the region, with some areas having elevated E. coli and nitrate concentrations above the NZ Drinking			
		Water Standards. The main areas with elevated nitrate concentrations are North Otago and the Lower Clutha.			
		Some bores across the region have exceeded the drinking water			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		standards for E. coli; highlighting localized problems, likely due to inadequate bore head security. In addition to human sources of poorer groundwater quality, low groundwater quality from natural or geologic sources may also affect the potability of bore water throughout Otago (e.g. naturally occurring arsenic or boron concentrations found in bores associated with particularly geologies).			
		Stock entering water bodies can lead to pugging and destruction of riparian soils and beds that play an important role in filtering contaminants, as well as excreting directly in waterways. The growing practice of wintering cattle in Otago can exacerbate leaching effects, which may not connect to surface water until spring, creating spikes in nutrient loads.			
		Sediment is a key issue for freshwater quality throughout Otago, including coastal estuaries where it can significantly impact the life supporting capacity of waterways. Urban development is a key generator of sediment input to lakes and rivers in Central Otago, from building platforms and from stormwater contamination. Activities such as agricultural intensification, mining, and forestry also contribute.			
		Agricultural intensification also contributes to nutrients (nitrogen and phosphorus) leaching into underlying groundwater or running off into surface water bodies, and can also increase the risk of E.coli contamination from animal waste.			
		Urban environmental contaminants include hydrocarbons, and metals from roads and structures. They often wash into urban stormwater systems and pass unfiltered into water bodies, or the coastal marine area. Stormwater effects, particularly in urban areas, are poorly understood. Wastewater and stormwater systems			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		may not be adequate in some places due to aging infrastructure, rapid growth pressure, or insufficient investment in replacement or upgrades. Overflows of wastewater (sewage and waste products) create significant risks for water quality. These can enter the environment either directly or through stormwater systems, particularly in flood events.			
		Economic			
		Water pollution (from nutrients, chemicals, pathogens and sediment) can have far-reaching effects potentially impacting tourism, property values, commercial fishing, recreational businesses, and many other sectors that depend on clean water. These impacts can be direct (varying the quality of primary production outputs such as fish); increasing costs of production through mitigation or remediation costs (drinking water treatment cost, riparian restoration); loss of enjoyment and benefit from tourism uses, and indirect such as cost to human health and associated medical costs, or reduction in brand value (e.g. Brand New Zealand).			
		Social			
		For the wider community, water is a source of kai and of recreation, including swimming, fishing and water sports. Otago's rivers, lakes, estuaries and bays are important destinations for recreational use including swimming, fishing and water sports. Eighty-two per cent of Otago's rivers and lakes are swimmable. Where water quality cannot support these activities, the lifestyle of those living in Otago is impacted.			
		Degraded water quality reduces the mauri of the water and the habitats and species it supports, therefore also negatively affecting mahika kai and taoka species and places. This			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		constitutes a loss of Kāi Tahu culture, affecting the intergenerational transfer of knowledge handed down from tūpuna over hundreds of years; and it culminates in a loss of rakatirataka and mana.			
	34 36	SRMR–I6 – Declining water quality has adverse effects on the environment, our communities, and the economy			
		Statement			
		While the pristine areas of Otago generally maintain very good water quality, some areas of Otago demonstrate poorer quality and declining trends in water quality which can be attributed to discharges from land use intensification (both rural and urban) and land management practices. Erosion, run-off and soil loss can lead to sediment and nutrients being deposited into freshwater bodies resulting in declining water quality.			
		Context			
		The health of water is vital for the health of the environment, people and the economy. It is at the heart of culture and identity. Nationally, and in parts of Otago, freshwater is facing significant pressure. Population growth and land-use intensification in urban and rural environments has impacted the quality of water, increasing contamination from nutrients and sediment.			
		Water quality affects a wide range of environmental health factors, human <u>health and</u> survival needs, and cultural, social, recreational, and economic uses. Some of the biggest <u>adverse</u> impacts on water quality in Otago are considered to come from agriculture and urbanisation, through diffuse discharges and point source discharges. On 3 September 2020, <u>a</u> new <u>Nn</u> ational <u>Ee</u> nvironmental S <u>s</u> tandards			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		(NESF) and a new <u>Nnational Ppolicy</u> <u>Sstatement (NPSFM) came into force</u> to improve water quality within five years; and reverse past damage <u>degradation</u> and bring New Zealand's freshwater resources, waterways and ecosystems to a healthy state within a generation.			
		Impact snapshot			
		Environmental			
		Despite the region's lakes and rivers being highly valued by Otago communities, reports indicate <u>that in</u> <u>some areas</u> there are reasons for concern about water quality and its trends with consequent potential impact on ecosystems and people.			
		impact on ecosystems and people. Water quality across Otago is variable. River water quality is best at river and stream reaches located at high or mountainous elevations under predominantly native vegetation cover, and mostly good in the upper areas of large river catchment and outlets from large lakes. Water quality is generally poorer in smaller low- elevation streams and coastal shallow lakes where they receive water from upstream pastoral areas or urban catchments. For example, catchments such as the Waiareka Creek, Kaikorai Stream, and the lower Clutha catchment, have some of the worst water quality in the region; Otago's central lakes are impacted by increased population, urban development and tourism demand:			
		 other areas, such as urban streams in Dunedin, intensified catchments in North Otago and some tributaries, also have poor water quality. Between 2006 and 2017, trends in a number of water quality parameters were worsening. For E. coli, for example, 30% of sites had a probable or significant worsening trend compared to 7% of sites that had either stable or 			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		improving trends. In urban streams in Dunedin, intensified catchments in North Otago and some tributaries of the Pomahaka, E. coli was the worst performing variable. In many cases, the specific source of contamination is unknown.			
		sizes of lakes in Otago. ORC monitors water quality in lakes, of which eight have generally shown good water quality. There have been concerns within the community about the quality of water in Lakes Wānaka, Wakatipu and Hayes.			
		Groundwater quality also varies across the region, with some areas having elevated E. coli and nitrate concentrations above the NZ Drinking Water Standards. The main areas with elevated nitrate concentrations are North Otago and the Lower Clutha.			
		Some bores across the region have exceeded the drinking water standards for E. coli; highlighting localized problems, likely due to inadequate bore head security. In addition to human sources of poorer groundwater quality, low groundwater			
		quality from natural or geologic sources may also affect the potability of bore water throughout Otago (e.g. naturally occurring arsenic or boron concentrations found in bores associated with particularly geologies).			
		Stock entering water bodies can lead to pugging and destruction of riparian soils and beds that play an important role in filtering contaminants, as well as excreting directly in waterways. The growing practice of wintering cattle in			
		Otago can exacerbate leaching effects, which may not connect to surface water until spring, creating spikes in nutrient loads. Sediment is a key issue for freshwater quality throughout Otago, including			
		coastal estuaries where it can significantly impact the life supporting			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		capacity of waterways. Urban development is a key generator of sediment input to lakes and rivers in Central Otago, from building platforms and from stormwater contamination. Activities such as agricultural <u>land use</u> intensification, mining, and forestry also contribute.			
		Agricultural <u>land use</u> intensification also contributes to nutrients (nitrogen and phosphorus) leaching into underlying groundwater or running off into surface water bodies, and <u>agriculture intensification</u> can also increase the risk of E.coli contamination from animal waste.			
		Urban environmental contaminant waste. Urban environmental contaminants include hydrocarbons, and metals from roads and structures. They often wash into urban stormwater systems and pass unfiltered into water bodies, or the coastal marine area. Stormwater effects, particularly in urban areas, are poorly understood. Wastewater and stormwater systems may not be adequate in some places due to aging infrastructure, rapid growth pressure, or insufficient investment in replacement or upgrades. Overflows of wastewater (sewage and waste products) create significant risks for water quality. These can enter the environment either directly or through stormwater systems, particularly in flood events.			
		Water pollution (from nutrients, chemicals, pathogens and sediment) can have far-reaching effects potentially impacting tourism, property values, commercial fishing, recreational businesses, and many other sectors that depend on clean water. These impacts can be direct (varying the quality of primary production outputs such as fish); increasing costs of production through mitigation or			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		remediation costs (drinking water treatment cost, riparian restoration); loss of enjoyment and benefit from tourism uses, and indirect such as cost to human health and associated medical costs, or reduction in brand value (e.g. Brand New Zealand). Social			
		For the wider community, water is a source of kai and of recreation, including swimming, fishing and water sports. Otago's rivers, lakes, estuaries and bays are important destinations for recreational use including swimming, fishing and water sports. Eighty-two per cent of Otago's rivers and lakes are swimmable. Water is also a source of kai. Where water quality cannot support these activities, the health and wellbeing lifestyle of those living in Otago and their interaction with water is impacted. Degraded water quality reduces the mauri of the water and the habitats and species it supports, therefore also negatively affecting mahika kai and taoka species and places. This constitutes a loss of Kāi Tahu culture, affecting the intergenerational transfer of knowledge handed down from tūpuna over hundreds of years; and it culminates in a loss <u>diminishing</u> of rakatirataka and mana			
SRMR-19	82	SRMR–I9 – Otago lakes are subject to pressures from tourism and population growth Statement The beauty, recreational opportunities and regional climate of Lakes Wanaka, Wakatipu, Hāwea and Dunstan and their environs attract visitors and residents from around the region, the country and the world. This influx brings assessments apportunity, but the	Support with amendment Contact generally supports this issue statement insofar as it recognises that the Otago lakes area provides significant renewable energy for use in Otago and beyond, and that access to such water is necessary for these purposes. Contact is, however, concerned that there are broad statements such as	Contact seeks amendments to address its concerns. Suggested amendments are set out below by way of example: SRMR-I9 – Otago lakes are subject to pressures from tourism and population growth Statement	
		activities and services created to take advantage of it can degrade the environment and undermine the	"natural features and landscape values are also adversely impacted byenergy production" and	The beauty, recreational opportunities and regional climate of Lakes Wanaka,	

C Hunter Evidence Amendments	
Accept s42A report recommendations, provided that this is coupled with the new issues statement relating to infrastructure.	

numberBackground document version2Wakatipu, Hāwea an attractiveness.experience that underpins their attractiveness."[energy production]puts at risk the environment highly prized by residents and visitors". There is no acknowledgement within this issue statement for instance, that Te Wairere / Lake Dunstan wasWakatipu, Hāwea an and their environs at visitors and residents around the region, the and the world. This in brings economic opport	Recommendations and Dunstan
experience that underpins their attractiveness."[energy production]puts at risk the environment highly prized by residents and visitors". There is no acknowledgement within this issue statement for instance, that Te walued natural resources and for theWakatipu, Hāwea an and their environs at visitors and resident: around the region, th and the world. This in Wairere / Lake Dunstan was	and Dunstan
 most part water quality is good. The quality and quantity of water quality is quantity of water quantity and quantity of water accessible to the Otago communities the accessibility of these resources for eacy secure and reaches accessible to the Otago communities the accessibility of these resources for eacy secure and and capes, the networks eacher that from an duales, and renewable energy production. Urban growth is adversely affecting growth is decomposition tripled in the lasts. The amount of Queenstown Lakes District, including queenstown and Wanaka, where the population tripled in the last 20 years from 16.750 in 1999 to 47.400 in these resources for energy within the service and that the population tripled in the last 20 years from 16.750 in 1999 to 47.400 in these resources and intermational visitors to enjoy the outstanding naturel environment, transport, energy and other infrastructure, health services and social structures. At the same time the coronny of the Otago lakes are a is explicit, to unism GPD exacuted for an estimate 66% (or 17.758) of the jobs in the Queenstown takes districts COP and intermational biotism. For example in 2020, tourism GPD exacuted for an estimate 66% (or 17.758) of the jobs in the Queenstown takes districts to unism GPD example in 2020, tourism GPD example in 2020, tourism GPD exacuted for an estimate 66% (or 17.758) of the jobs in the Queenstown takes districts tourism GPD example in 2020, tourism GPD exacuted for an estimate for the second of an estimate 66% (or 17.758) of the jobs in the Queenstown takes districts tourism GPD example in 2020, to	attract hts from the country influx opportunity, hd services vantage of it hvironment experience r te Hāwea, Dunstan play a clutha ich is National or ement as ht etting New use gas hd curity of ctricity ore contribution e Clutha afeguarded. one of ed natural he most is good. The lakes features e quality for sport, the a and vith Otago's hd the ht se lakes to

	C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		Population pressures arising from urban development, and tourism population pressures are impacting on the environment. Lake Wanaka, Lake Hāwea, and Lake Wakatipu, as well as the Kawarau River and upper reaches of the Clutha Mata-au and Taieri Rivers all have good water quality which equates to the "A" band (being top/best level) for the National Objectives Framework. However, water quality is being adversely impacted by increased population, urban development and tourism demand which is straining existing waste management infrastructure. In addition, localised degradation of some areas is occurring due to overuse and unregulated use (e.g. freedom camping). The amenity of these areas is being compromised in some places by over-crowding. Recreation use impacts on the environment can be a risk, for example the distribution of pest species can be accelerated as has occurred for lake snow and Lagarosiphon weeds being spread by recreation boating movements. Natural features and landscape values are also adversely impacted by tourism and urban growth, and energy production. Economic The economic benefits of urban development, tourism, agriculture, energy production and water supply can be positive for the Otago-Lakes' communities and visitors. It also impacts on the region's natural assets with a growing cost to the region that puts at risk the environment highly prized by residents and visitors. There are also impacts between industry sectors. For example, the clean green image of New Zealand, of which the Otago	"renewable electricity generation (activities)", which is more accurate. Contact also requests that Lakes Häwea and Wänaka are macronised; and references to Lake Dunstan are replaced with "Te Wairere / Lake Dunstan" throughout the pORPS.	and the decarbonisation of the region (including its businesses and tourism), and nation's, economy. It is also recognised that Te Wairere / Like Dunstan and Lake Roxburgh were created by the dams associated with the Clutha Hydro Scheme, and Lake Hawea is a modified and significant hydro-storage lake, and the Scheme is a key contributing factor to the characters of these lakes. Urban growth is adversely affecting the natural features and landscapes around the lakes. The amount of growth is demonstrated in the Queenstown Lakes District, including Queenstown and Wanaka, where the population tripled in the last 20 years from 16,750 in 1999 to 47,400 in 2020. Continued growth is projected over the 30 years from 2020 to 2050 (by 63%). This desire of New Zealanders and international visitors to enjoy the outstanding natural environments of the Otago lakes has placed significant pressures on the environment, transport, energy and other infrastructure, health services and social structures. At the same time the economy of the Otago lakes area is heavily dependent on tourism. For example in 2020, tourism employment accounted for an estimated 56% (or 17,758) of the jobs in the Queenstown- Lakes district; tourism GDP accounted for 43.7% (or NZ \$1.7 billion) of the district's GDP and international tourism contributed 64% (or NZ \$1.89	

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		Lakes area is symbolic, is at risk of being compromised because of over- crowding in peak tourism seasons. This has the potential to adversely affect the existing regional economy and future economic development; and the tourism industry's social		billion). The Otago-Lakes area also supplies significant renewable <u>energy electricity</u> <u>generation</u> for use in Otago and beyond. Impact snapshot	
		licence to operate. At the same time		Environmental	
		tourism can negatively impact on how agriculture can operate, potentially limiting its contribution to the regional economy. Urban development brings economic development and improved opportunities and standards of living to the Otago lakes area but can adversely impact on both the environment and how agriculture can operate.		Population pressures arising from urban development, and tourism population pressures are impacting on the environment. Lake Wanaka, Lake Hāwea, and Lake Wakatipu, as well as the Kawarau River and upper reaches of the Clutha Mata-au and Taieri Rivers all have good water quality which equates to	
		Social		the "A" band (being top/best level) for the National	
		Over-crowding impacts adversely affect recreation experiences of both tourists and residents, such as fishing and water sports, and urban amenity. Infrastructure capacity limits can, for example, result in an increased number of wastewater overflows to the environment when demand on the network exceeds capacity. These can have significant adverse impacts on human health as well as recreational amenity.		level) for the National Objectives Framework. However, water quality is being adversely impacted by increased population, urban development and tourism demand which is straining existing waste management infrastructure. In addition, localised degradation of some areas is occurring due to overuse and unregulated use (e.g. freedom camping). The	
	40	SRMR-19 – Otago lakes are subject to pressures from tourism and population growth Statement		amenity of these areas is being compromised in some places by over-crowding. Recreation use impacts on the environment can be a risk for	
		The beauty, recreational opportunities and regional climate of Lakes Wanaka, Wakatipu, Hāwea and Dunstan and their environs attract visitors and residents from around the region, the country and the world. This influx brings economic opportunity, but the activities and services created to take advantage of it can degrade the environment and undermine the experience that underpins their attractiveness.		example the distribution of pest species can be accelerated as has occurred for lake snow and Lagarosiphon weeds being spread by recreation boating movements. Natural features and landscape values are also can be adversely impacted by tourism and urban growth, and energy production.	

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		Context Healthy lakes are one of Otago's most valued natural resources and for the most part water quality is good. The values assigned to lakes include the natural features and landscapes, the quality and quantity of water accessible to the Otago communities, the accessibility of these resources for recreation <u>and transport</u> , the health of native flora and fauna associated with Otago's rivers and lakes, and renewable energy production. Urban growth is adversely affecting the natural features and landscapes around the lakes. The amount of growth is demonstrated in the Queenstown Lakes District, including Queenstown and Wanaka, where the population tripled in the last 20 years from 16,750 in 1999 to 47,400 in 2020. Continued growth is projected over the 30 years from 2020 to 2050		Economic The economic benefits of urban development, tourism, agriculture primary production, energy production renewable electricity generation and water supply can be positive for the Otago-Lakes' communities and visitors. It also impacts on the region's natural assets with a growing cost to the region that puts at risk the environment highly prized by residents and visitors. There are also impacts between industry sectors. Renewable electricity generation provides a significant opportunity for local and regional business to compete sustainably on national and global markets and to attract, and maintain, tourism	
		(by 63%). This desire of New Zealanders and international visitors to enjoy the outstanding natural environments of the Otago lakes has placed significant pressures on the environment, transport, energy and other infrastructure, health services and social structures. At the same time the economy of the Otago lakes area is heavily dependent on tourism. For example in 2020, tourism employment accounted for an estimated 56% (or 17,758) of the jobs in the Queenstown- Lakes district; tourism GDP accounted for 43.7% (or NZ \$1.7 billion) of the district's GDP and international tourism contributed 64% (or NZ \$1.89 billion). The Otago-Lakes area also supplies significant renewable energy for use in Otago and beyond. Impact snapshot Environmental Population pressures arising from			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		Background document version ²			Recommendations
		population pressures are impacting on the environment. Lake Wanaka, Lake Hāwea, and Lake Wakatipu, as well as the Kawarau River and upper reaches of the Clutha Mata-au and Taieri Rivers all have good water quality which equates to the "A" band (being top/best level) for the National Objectives Framework.			
		However, water quality is being adversely impacted by increased population, urban development and tourism demand which is straining existing waste management infrastructure. In addition, localised degradation of some areas is occurring due to overuse and unregulated use (e.g. freedom camping). The amenity of these areas is being compromised in some places by over-crowding.			
		Recreation use impacts on the environment can be a risk, for example the distribution of pest species can be accelerated as has occurred for lake snow and Lagarosiphon weeds being spread by recreation boating movements. Natural features and landscape values are also adversely impacted by tourism and urban growth, and energy production.			
		Economic The economic benefits of urban development, tourism, agriculture <u>primary production</u> , energy production and water supply can be positive for the Otago-Lakes' communities and visitors. It also impacts on the region's natural assets with a growing cost to the region that puts at risk the environment highly prized by residents and visitors. There are also impacts between industry sectors. For example, the clean green image of New Zealand, of which the Otago Lakes area is symbolic is at risk of			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
		Background document version²lakes becomes degraded or visitor numbers exceed the servicing capacity of the districtbecause of over-crowding in peak tourism seasons. This has the potential to adversely affect the existing regional economy and future economic development; and the tourism industry's social licence to operate. At the same time tourism can negatively impact on how agriculture primary production can operate, potentially limiting its contribution to the regional economy.Urban development brings economic development and improved opportunities and standards of living to the Otago lakes area but can adversely impact on both the environment and how agriculture can operate.SocialPoorly managed activities and oOver- crowding impacts can adversely affect recreation experiences of both tourists and residents, such as fishing and water sports, and urban amenity. Infrastructure capacity limits can, for example, result in an increased number of wastewater overflows to the environment when demand on the network exceeds capacity. These can have significant adverse impacts on human health as well as recreational amenity.			Recommendations
RMIA-WAI					
RMIA-WAI-I1 RMIA-WAI-I3	87 41 88 42	RMIA–WAI–I1 – The loss and degradation of water resources through drainage, abstraction, pollution, and damming has resulted in material and cultural deprivation for Kāi Tahu ki Otago The drainage of wetlands, water abstraction, degraded water quality, barriers to fish passage and changes to flow regimes as a result of damming have had significant negative impacts	Contact accepts these issue statements as statements of the relevant issues for Kāi Tahu ki Otago; and supports them.	No changes sought.	Refer to section 42A

:	C Hunter Evidence Amendments
report.	Accept s42A report recommendations.

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		on Kāi Tahu. These activities degrade the mauri of the water and the habitats and species it supports, therefore also degrading mahika kai and taoka species and places.			
		These changes to the environment have meant that Kāi Tahu have had to adapt and change their use of the environment. As traditional mahika kai places and species have declined, mahika kai must now be carried out in artificial habitats such as reservoirs, and whānau have had to switch to exotic species such as trout and salmon. The mātauraka associated with traditional mahika kai species and places cannot be passed on, and the intergenerational transfer of knowledge that has occurred for over 800 years is broken. Place names that carry tribal history are no longer reflective of their places – for example no one would now claim that the Waiareka is 'sweet water' to drink.			
		(No change)			
		RMIA–WAI–I3 – The effects of land and water use activities on freshwater habitats have resulted in adverse effects on the diversity and abundance of mahika kai resources and harvesting activity			
		Mahika kai is the gathering of foods and other resources, the places where they are gathered, and the practices used in doing so. Mahika kai is an intrinsic part of Kāi Tahu identity and economic well-being. Kāi Tahu fishing rights were explicitly protected by the Treaty of Waitangi. Not only was the right to engage in mahika kai activity confirmed, so too was the expectation that such activity will continue to be successful as measured by reference to past practice. However, as described in evidence provided to the Waitangi Tribunal in the Ngāi Tahu claim, there has been a dramatic loss of mahika kai resources and places of procurement since the Treaty was			

C Hunter Evidence Amendments

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		signed. This loss is greater than the loss of kai. It is a loss of Kāi Tahu culture, as it affects the intergenerational transfer of mātauraka handed down from tūpuna over hundreds of years. It represents a loss of rakatirataka and of mana. Mahika kai continues to be degraded through the effects of land and water use activities on freshwater habitats. Activities such as the construction of barriers to fish passage, drainage, altered flow regimes, reduced water quality and removal of riparian vegetation all impact on access to and use of resources.			
		RMIA–WAI–I3 – The effects of land and water use activities on freshwater habitats have resulted in adverse effects on the diversity and abundance of mahika kai resources and harvesting activity			
		Mahika kai is the gathering of foods and other resources, the places where they are gathered, and the practices used in doing so. Mahika kai is an intrinsic part of Kāi Tahu identity and economic well-being. Kāi Tahu fishing rights were explicitly protected by the Treaty of Waitangi. Not only was the right to engage in mahika kai activity confirmed, so too was the expectation that such activity will continue to be successful as measured by reference to past practice. However, as described in evidence provided to the Waitangi Tribunal in the Ngāi Tahu claim, there has been a dramatic loss of mahika kai resources and places of procurement since the Treaty was signed. This loss is greater than the loss of kai. It is a loss of Kāi Tahu			
		culture, as it affects the intergenerational transfer of mātauraka handed down from tūpuna over hundreds of years. It represents a <u>significant</u> loss of rakatirataka and <u>for</u> <u>mana whenua and a diminishing</u> of mana. Mahika kai continues to be			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		degraded through the effects of land and water use activities on freshwater habitats. Activities such as the construction of barriers to fish passage, drainage, altered flow regimes, reduced water quality and removal of riparian vegetation all impact on access to and use of resources.			
LF – WAI					
	122 48	 LF-WAI-O1 - Te Mana o te Wai The mauri of Otago's water bodies and their health and well-being is protected, and restored where it is degraded, and the management of land and water recognises and reflects that: (1) water is the foundation and source of all life - na te wai ko te hauora o ngā mea katoa, (2) there is an integral kinship relationship between water and Kāi Tahu whānui, and this relationship endures through time, connecting past, present and future, (3) each water body has a unique whakapapa and characteristics, (4) water and land have a connectedness that supports and perpetuates life, and (5) Kāi Tahu exercise rakatirataka, manaakitaka and their kaitiakitaka duty of care and attention over wai and all the life it supports. 	Support with amendments Contact supports the intent of this provision but seeks amendments to ensure that it gives effect to the National Policy Statement for Freshwater Management. In particular, the proposed objective does not capture the concept of balance within paragraph (1) of section 1.3 of the NPSFM "restoring and preserving the balance between the water, the wider environment, and the community" Further, the wording of the provision appears to go beyond an objective and include matters more relevant for policies.	Contact seeks amendments to ensure that the objective gives effect to the NPSFM; and to ensure that it is more appropriately drafted as an objective, rather than a list of policies. By way of an example, Contact proposes the following amendments (using the background document version as the base text): LF–WAI–O1 – Te Mana o te Wai The mauri of Otago's water bodies and their health and well-being is protected, and the balance between the water, the wider environment, and the community is restored and preserved., improved where it is degraded, and the management of land and water recognises and reflects that: (1) – water is the foundation and source of all life – na te wai ko te hauora o ngā mea katoa, (2) – there is an integral kinship relationship between water and Kāi Tahu whānui, and this relationship endures through time,	 LF–WAI–O1 – Te Mana The mauri of Otago's was bodies and their health at being is protected, and recognises and reflects to the source of all life – n ko te hauora o ngā katoa, (2) there is an integral life – n ko te hauora o ngā katoa, (2) there is an integral life – n ko te hauora o ngā katoa, (2) there is an integral life – n ko te hauora o ngā katoa, (3) each water body haunique whakapapa characteristics, (4) fresh water, land an water land-have a connectedness that and perpetuates life (4A) protecting the healt well-being of water, the wider environment the mauri of water, the wider environment and their kaitiakitak care and attention of and all the life it sup (6) all people and communities have a resp. to exercise stewardship,

	C Hunter Evidence Amendments
o te Wai ter and well- estored d the d water hat: ion and a te wai mea	This provision could be deleted, or it is amended so that it reflects the full concept of Te Mana o te Wai (Clause 1.3).
kinship n water ui, and lures e cting ent and	
s a and	
d <u>coastal</u> supports a, and <u>h and</u> <u>protects</u> <u>ent and</u>	
kitaka a duty of over wai ports.	
onsibility care, and	

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
Provision	Page number	Notified version ¹ Background document version ² LF-WAI-O1 - Te Mana o te Wai The mauri of Otago's water bodies and their health and well-being is protected, and restored improved where it is degraded, and the management of land and water recognises and reflects that: (1) water is the foundation and source of all life – na te wai ko te hauora o ngā mea katoa, (2) there is an integral kinship relationship between water and Kāi Tahu whānui, and this relationship endures through time, connecting past, present and future, (3) each water body has a unique	Contact's comments	Changes requested ³ connecting past, present and future, (3)—each water body has a unique whakapapa and characteristics, (4)—fresh water, and land and coastal water have a connectedness that supports and perpetuates life, and (4A) protecting the health and well-being of water protects the wider environment and the mauri of water. (5)—Kāi Tahu exercise rakatirataka, manaakitaka and their kaitiakitaka duty of care and attention over wai and all the life it supports and (6)—all people and communities have a responsibility to exercise stewardship,	Section 42A Report Recommendations
		 (4) <u>fresh</u> water, and land <u>and</u> <u>coastal water</u> have a <u>connectedness that supports</u> and perpetuates life, and 		care, and respect in <u>the management of</u> <u>fresh water.</u>	
		(4A) <u>protecting the health and</u> well-being of water _protects the wider environment and the mauri of water,			
		 (5) Kāi Tahu exercise rakatirataka, manaakitaka and their kaitiakitaka duty of care and attention over wai and all the life it supports <u>and</u> (6) <u>all people and communities</u> <u>have a responsibility to</u> <u>exercise stewardship, care,</u> <u>and respect in the</u> <u>management of fresh water.</u> 			

	C Hunter Evidence Amendments
ent of	

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
	122	 LF-WAI-P1 - Prioritisation In all management of fresh water in Otago, prioritise: (1) first, the health and well-being of water bodies and freshwater ecosystems, te hauora o te wai and te hauora o te taiao, and the exercise of mana whenua to uphold these, (2) second, the health and well-being needs of people, te hauora o te tangata; interacting with water through ingestion (such as drinking water and consuming harvested resources) and immersive activities (such as harvesting resources and bathing), and (3) third, the ability of people and communities to provide for their social, economic, and cultural wellbeing, now and in the future. 	Support with amendment Climate change will significantly affect the health and wellbeing of freshwater bodies and freshwater ecosystems within Aotearoa New Zealand and the region. Renewable electricity generation is a core component of climate change mitigation. Renewable energy generation, and in the case of the region hydro- electric generation in particular, is also essential to human health and wellbeing. It is vital in delivering basic human needs including life sustaining support and heating of our homes. Renewable electricity generation is also critical to the region's and nation's economy.	Contact seeks that the policy is amended to address Contact's concerns. By way of example only, Contact proposes the following amendments (using the background document version as the base text): LF–WAI–P1 – Prioritisation In all management of decision- making affecting fresh water in Otago, prioritise: (1) first, the health and well-being of water bodies, freshwater ecosystems, including their protection from (through emission reduction), and resilience to climate change, and te hauora o te wai, and the connections with te hauora o te taiao, and as well as the exercise of mana whenua to uphold these and provide for te hauora o te taiao, (2) second, the health and well-being needs of people ₁ (te hauora o te takata), including through tangata,; interacting and their interactions with water through ingestion (such as drinking water and consuming harvested from the water body), and immersive activities (such as harvesting	 LF-WAI-P1 - Prioritisation In all decision-making affecting management of fresh water in Otago, prioritise: (1) first, the health and well- being of water bodies and freshwater ecosystems, (te hauora o te wai) and the contribution of this to the health and well-being of the environment (te hauora o te taiao),-and together with the exercise of mana whenua to uphold these, (2) second, the health and well- being needs of people, (te hauora o te tangata); interacting with water through ingestion (such as drinking water and consuming harvested resources harvested from the water body) and immersive activities (such as harvesting resources and primary contactbathing), and (3) third, the ability of people and communities to provide for their social, economic, and cultural wellbeing, now and in the future. 	This provision could be deleted, and/or supported by a further policy recognising existing hydroelectricity as being an activity that fits within all three of these clauses: Existing hydroelectric generation is recognised as an essential use of freshwater in Otago, due to its: a) Contribution to reducing greenhouse gas emissions and assisting climate change mitigation; b) Critical importance in supporting the health and wellbeing of communities; c) Contribution to the region's economic resilience and efforts to decarbonise the economy.
		prioritise: (1) first, the health and well-being		resources and bathing primary contact) and providing for		
		ecosystems, <u>and</u> te hauora o te wai, and <u>the connections</u>		renewable electricity generation, and		

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		 with te hauora o te taiao, and as well as the exercise of mana whenua to uphold these and provide for te hauora o te taiao, (2) second, the health and well- being needs of people; (te hauora o te takata tangata); interacting and their interactions with water through ingestion (such as drinking water and consuming harvested resources harvested from the water body) and immersive activities (such as harvesting resources and bathing primary contact), and (3) third, the ability of people and communities to provide for their social, economic, and cultural wellbeing, now and in the future. 		(3) third, the ability of people and communities to provide for their social, economic, and cultural wellbeing, now and in the future.	
		LF-WAI-PR1 - Principal reasons			
		In accordance with the NPSFM, councils are required to implement a framework for managing freshwater that gives effect to Te Mana o te Wai. This places the mauri (life-force) of the water at the forefront of decision making, recognising <u>that</u> te hauora o te wai (the health of the water) is the first priority, and supports te hauora o te taiao (the health of the environment) and te hauora o te takata (the health of the people). It is only after the health of the water is sustained that water can be used for economic purposes. Giving effect to Te Mana o te Wai requires actively involving takata <u>mana</u> whenua in freshwater planning and management.			
LF – VM					
LF-VM-O2	125 85	LF–VM–O2 – Clutha Mata-au FMU vision In the Clutha Mata-au FMU:	Support with amendments Contact operates the Clutha Hydro Scheme within the Clutha Mata-au	Contact seeks amendments to address its concerns. By way of example only, Contact	LF-VM-O2 – Clutha Mata FMU vision In the Clutha Mata-au FMI

	C Hunter Evidence Amendments
a-au	Amend as follows:
IU:	LF-VM-O2 – Clutha Mata-au FMU vision

Provision F	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report	C Hunter Evidence
r -	number	Background document version ²			Recommendations	Amendments
	88	 management of the FMU recognises that: (a) the Clutha Mata-au is a single connected system ki uta ki tai, and (b) the source of the wai is pure, coming directly from Tawhirimatea to the top of the mauka and into the awa, (2) fresh water is managed in accordance with the LF–WAI objectives and policies, (3) the ongoing relationship of Kāi Tahu with wāhi tūpuna is sustained, (4) water bodies support thriving mahika kai and Kāi Tahu whānui have access to mahika kai, (5) indigenous species migrate easily and as naturally as possible along and within the river system, (6) the national significance of the Clutha hydro-electricity generation scheme is recognised, (7) in addition to (1) to (6) above:	FMU. The scheme is nationally significant infrastructure, which forms an essential component of New Zealand's electricity generation, and a core component of climate change mitigation. Contact Energy supports the recognition of the Clutha Hydro Scheme within this objective, as well as nearly all the environmental goals outlined in the vision, and in particular, water quality and the relationship of Kāi Tahu with the awa. The Clutha Hydro Scheme (as recognised in the NPSFM) contributes significantly to economic and social wellbeing of all New Zealanders by providing a significant amount of carbon-free, renewable electricity generation. On a more local and regional basis the scheme has provided employment and contributed to the growth and development of the area (e.g. the townships that have developed around the lake edges of Cromwell). It is critical to the decarbonisation of the region and the provision of sustainable tourism. The scheme's hydro lakes also provide/facilitate tourism and recreational activities in the area (e.g. the new cycle track along Lake Dunstan, and boating on the hydro lakes that have been created). Contact Energy is therefore concerned that there appears to be one or two unrealistic requirements within this provision and others of the PORPS to restore 'natural' or 'original' processes which is at odds with the impact the Clutha Hydro Scheme has had. Clause 5 seeks that indigenous species migrate easily and as naturally as possible along and within the river system. Clause 7 seeks that water flows in the Dunstan Rohe, sustain and wherever possible restore the	 propose the following amendments (using the background document version as base text): In the Clutha Mata-au FMU: (1) management of the FMU recognises that: (a) the Clutha Mata-au is a single connected system ki uta ki tai, and (b) the source of the wai is pure, coming directly from Tawhirimatea Tāwhiritmātea to the top of the mauka and into the awa, (2) fresh water is managed in accordance with the LF–WAI objectives and policies, (3) the ongoing relationship of Kāi Tahu with wāhi tūpuna is sustained and connections with wāhi tupuna are reestablished where these have been degraded or lost; restored, (4) water bodies support thriving mahika kai m	 management of the FMU recognises that: (a) the Clutha Mata-au is a single connected system ki uta ki tai, and (b) the source of the wai is pure, coming directly from Tawhirimatea to the top of the mauka and into the awa, (2) fresh water is managed in accordance with the LF–WAI objectives and policies; (3) the ongoing relationship of Kai Tahu with wahi tūpuna is sustained; (4) water bodies support thriving mahika kai and Kai Tahu whānui have access to mahika kai; (5) indigenous species migrate easily and as naturally as possible along and within the river system; (6) the national significance of the Clutha hydro-electricity generation scheme is recognised, (7) in addition to (1) to (6) above: (a) in the Upper Lakes rohe, the high quality waters of the lakes and their tributaries are protected, and if degraded are improved, recognising the significance of the purity of these waters to Kai Tahu and to the wider community, (b) in the Dunstan; Manuherekia and Roxburgh rohe: (i) flows in water bodies sustain and, wherever possible, restore the natural form and function of 	 In the Clutha Mata-au FMU: (1) management of the FMU recognises that: (a) the Clutha Mata-au is a single connected system ki uta ki tai, and (b) the source of the wai is pure, coming directly from Tawhirimatea to the top of the mauka and into the awa, (2) fresh water is managed in accordance with the LF–WAI objectives and policies, (3) the ongoing relationship of Kai Tahu with wahi tupuna is sustained, (4) water bodies support thriving mahika kai and Kai Tahu with wahi tupuna is sustained, (5) indigenous species migrate easily and as naturally as possible along and within the river system, (6) the national significance of the ongoing operation, maintenance and upgrading of the Clutha hydro-electricity generation scheme, including its generation capacity, storage and operational flexibility and its contribution to climate change mitigation is recognised, provided for and protected, (7) in addition to (1) to (6) above: (a) in the Upper Lakes rohe, the high quality waters of the lakes and their tributaries are protected, and if degraded are improved, recognising the significance of the purity of these waters to Kai Tahu and to the wider community,

Provision Pag	age umber	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		 (ii) innovative and sustainable land and water management practices support food production in the area and reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iii) sustainable abstraction occurs from main stems or groundwater in preference to tributaries, (c) in the Lower Clutha rohe: (i) there is no further modification of the shape and behaviour of the water bodies and opportunities to restore the natural form and function of water bodies are promoted wherever possible, (ii) the ecosystem connections between freshwater, wetlands and the coastal environment are preserved and, wherever possible, restored, (iii) land management practices reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iv) there are no direct discharges of wastewater to water bodies, and (iv) there are no direct discharges of wastewater to water bodies, and (i) the outcomes sought in (7) are to be achieved within the following timeframes: (a) by 2030 in the Upper Lakes rohe, (b) by 2045 in the Dunstan, Roxburgh and Lower Clutha rohe, and 	natural form and function of main stem and tributaries to support Kai Tahu values and practices, and these outcomes are to occur by 2045 within the Dunstan Rohe. Not only does such an approach fail to give effect to the NPSREG, it also fails to reflect the reality that while the dams were put in place to operate efficiently over a very long intergenerational timeframe this 'run of river' scheme has significantly altered the natural form and function of parts of the awa, including interfering with the natural migration of native fish species. Contact facilitates the passage of tuna and kanakana both up and down the Clutha Mata-Au, but its trap and transfer activities for these species could not be considered 'natural'. While restoration of natural processes and form is a laudable goal, Contact Energy submits that in all cases, particularly with respect to the large-scale hydro dams in Otago, this may not be feasible or a necessary requirement and may result in significant and unforeseen adverse effects on a local, regional and national scale.	 (5A) the ecosystem connections between freshwater, wetlands, and the coastal environment are preserved and, wherever possible practicable, restored (5B) environmental flows and levels in water bodies sustain, and wherever possible practicable, restore the natural form and function of main stems and tributaries to support Kai Tahu values and practices, (5C) food production in the area is supported by innovative and sustainable land and water management practices that reduce discharges of nutrients and other contaminants to water bodies where required to ensure that they are safe for human contact, (5D) there are no direct discharges of wastewater containing sewage to water bodies, (6) the national significance of the ongoing operation, maintenance and upgrading of the Clutha hydro- electricity generation scheme, including its generation capacity, storage, and operational flexibility and its contribution to climate change mitigation is recognised, provided for, and protected, 	 main stems and tributaries to support Kāi Tahu values and practices, and (ii) innovative and sustainable land and water management practices support food production in the area and reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iii) sustainable abstraction occurs from main stems or groundwater in preference to tributaries, (c) 7A in the Lower Clutha rohe: (f) there is no further modification of the shape and behaviour of the water bodies and opportunities to restore the natural form and function of water bodies are promoted wherever possible, (ii) the ecosystem connections between freshwater; wetlands and the coastal environment are preserved and, wherever possible, restored, 	 (b) in the Dunstan, Manuherekia and Roxburgh rohe: (i) flows in water bodies sustain and, wherever possible, restore the natural form and function of main stems and tributaries to support Kāi Tahu values and practices, and (ii) innovative and sustainable land and water management practices support food production in the area and reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iii) sustainable abstraction occurs from main stems or groundwater in preference to tributaries, (c) <u>7A</u> in the Lower Clutha rohe: (i) there is no further modification of the shape and behaviour of the water bodies and opportunities to restore the natural form and function of water bodies are promoted as far as this can be practicably achieved

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		 (c) by 2050 in the Manuherekia rohe. (c) by 2050 in the Manuherekia rohe. (c) by 2050 in the Manuherekia rohe. (d) the Source of the Wai is pure, coming directly from Tawhirimatea 		 (7) in addition to (1) to (6) above: (a) in the Upper Lakes rohe, the high quality waters of the lakes and their tributaries are protected, and if degraded are improved, recognising the significance of the purity of these waters to Kāi Tahu and to the wider community, (b) in the Dunstan, Manuherekia and Roxburgh rohe: (i) flows in water bodies sustain and, wherever possible, restore the natural form and function of main stems and tributaries to support Kāi Tahu values and practices, and (ii) innovative and sustainable land and water management practices support food production in the area and reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iii) sustainable abstraction occurs from main stems 	 (iii) land management practices reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iv) there are no direct discharges of wastewater to water bodies, and (8) the outcomes sought in <u>this</u> <u>vision</u>-(7) are to be achieved within the following timeframes: (a) by 2030 in the Upper Lakes rohe, (b) by 2045 in the Dunstan, Roxburgh and Lower Clutha rohe, and (c) by 2050 in the Manuherekia rohe. 	 wherever possible, (ii) the ecosystem connections between freshwater, wetlands and the coastal environment are preserved and, wherever possible, restored, (iii) land management practices reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iv) there are no direct discharges of wastewater to water bodies, and (iv) there are no direct discharges of wastewater to avater bodies, and (iv) there are no direct discharges of wastewater to water bodies, and (iv) the outcomes sought in this vision (7) are to be achieved within the following timeframes: (a) by 2030 in the Upper Lakes rohe, (b) by 2045 in the Dunstan, Roxburgh and Lower Clutha rohe, and (c) by 2050 in the Manuherekia rohe.

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		 Tāwhiritmātea to the top of the mauka and into the awa, (2) fresh water is managed in accordance with the LF–WAI objectives and policies, (3) the ongoing relationship of Kāi Tahu with wāhi tūpuna is sustained and connections with wāhi tupuna are resetablished where these have been degraded or lost; restored, (4) water bodies support thriving mahika kai mahika kai that are safe for consumption and Kai Tahu whānui have access to mahika kai mahika kai, (5) indigenous species migrate easily and as naturally as possible along and within the river system, (5A) the ecosystem connections between freshwater, wetlands, and the coastal environment are preserved and, wherever possible, restored (5B) environmental flows and levels in water bodies sustain, and wherever possible, restore the natural form and function of main stems and tributaries to support Kāi Tahu values and practices, (5C) food production in the area is supported by innovative and sustainable land and water management practices that reduce discharges of nutrients and other contaminants to water bodies where required to ensure that they are safe for human contact, (5D) there are no direct discharges of wastewater containing sewage to water bodies, (6) the national significance of the Clutha hydro-electricity 		or groundwater in preference to tributaries; (c) in the Upper Lakes and Lower Clutha rohe: (i) there is no further minimise modification of the shape and behaviour of the water bodies and promote opportunities to restore the natural form and function of water bodies are promoted wherever possible practicable, and (ii) the ecosystem connections between freshwater, wetlands and the coastal environment are preserved and, wherever possible, restored, (iii) land management practices reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (iv) there are no direct discharges of wastewater to water bodies, and (8) the outcomes sought in (7) are to be achieved within the following timeframes:	

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		 generation scheme is recognised, (7) in addition to (1) to (6) above: (d) in the Upper Lakes rohe, the high quality waters of the lakes and their tributaries are protected, and if degraded are improved, recognising the significance of the purity of these waters to Kāi Tahu and to the wider community, (e) in the Dunstan, Manuherekia and Roxburgh rohe: (iv) flows in water bodies sustain and, wherever possible, restore the natural form and function of main stems and tributaries to support Kāi Tahu values and practices, and (v) innovative and sustainable land and water management practices support food production in the area and reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (vi) -sustainable abstraction occurs from main stems or groundwater in preference to tributaries, (f) in the Upper Lakes and Lower Clutha rohe: (v) there is no further minimise modification of the shape and behaviour of the water bodies and promote opportunities to restore the natural form and function of the shape and behaviour of the water possible, and 		 (a) by 2030 in the Upper Lakes rohe, (b) by 2045 in the Dunstan, <u>Manuherekia</u>, Roxburgh and Lower Clutha rohe, and (c) by 2050 in the Manuherekia rohe. 	

C Hunter Evidence Amendments

Provision	Page	Notified version ¹		Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²				Recommendations
		 (vi)-the ecosystem connections between freshwater, wetlands and the coastal environment are preserved and, wherever possible, restored, (vii)-land management practices reduce discharges of nutrients and other contaminants to water bodies so that they are safe for human contact, and (viii) there are no direct discharges of wastewater to water bodies, and (8) the outcomes sought in (7) are to be achieved within the following timeframes: (d) by 2030 in the Upper Lakes rohe, (e) by 2045 in the Dunstan, Manuherekia, Roxburgh and Lower Clutha rohe, and (f) by 2050 in the Manuherekia rohe. 				
LF-VM-P5	128	Wanunerekia rone: LF-VM-P5 - Freshwater Management Units (FMUs) and rohe Otago's fresh water resources are managed through the following freshwater management units or rohe which are shown on MAP1: Table 3 – Freshwater Management Units and rohe Freshwater Rohe Management Upper Lakes Dunstan Manuherekia Roxburgh Lower Clutha Taieri n/a		Contact supports the proposed freshwater management units and rohe as set out in this policy and MAP1	No changes requested.	Refer to section 42A rep

	C Hunter Evidence Amendments
eport.	Accept s42A
	recommendations.

Provision	Page number	Notified version ¹ Background docur	nent version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
	number	Background docur North Otago Dunedin & Coast Catlins LF-VM-P5 - Frest Management Units Otago's fresh water managed through the freshwater managed which are shown on Table 3 - Freshwat Units and rohe Freshwater Management Units Clutha Mata-au Taieri Taiari North Otago	ment version ² n/a n/a n/a n/a hwater s (FMUs) and rohe r resources are the following ement units or rohe n MAP1: ter Management Rohe Upper Lakes Dunstan Manuherekia Roxburgh Lower Clutha n/a n/a			Recommendations
		Dunedin & Coast Catlins	n/a			
LF-VM-P6	128 146	LF-VM-P6 - Relationship between FMUs and rohe Where rohe have been defined within FMUs: (1) environmental outcomes must be developed for the FMU within which the rohe is located, (2) if additional environmental outcomes are included for rohe, those environmental outcomes:		Contact supports in part this provision as it provides a framework for the development of environmental outcomes; and target attribute states for the various rohe within FMUs. However, Contact seeks recognition of section 3.31 of the NPSFM which allows specific attribute states to be set in respect of the CHS and other nationally	Contact seeks amendments to the policy to recognise section 3.31 of the NPSFM.	 LF–VM–P6 – Relationshi between FMUs and rohe Where rohe have been de within FMUs: (1) environmental outcom must be developed for FMU within which the located, (2) if <u>any</u> additional <u>rohe</u> environmental outcom included for rohe, the environmental outcom

	C Hunter Evidence Amendments
iship bhe 1 defined	Generally, accept s42A report writer recommendations, provided additional provisions
tcomes ed for the the rohe is	relating to the CHS and hydroelectricity are inserted as set out above.
ohe-specific tcomes are those t comes :	

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		 (a) set target attribute states that are no less stringent than the parent FMU environmental outcomes if the same attributes are adopted in both the rohe and the FMU, and (b) may include additional attributes and target attribute states provided that any additional environmental outcomes give effect to the environmental outcomes for the FMU, (3) limits and action plans to achieve environmental outcomes for the FMU, (3) limits and action plans to achieve environmental outcomes for the FMU, (3) limits or action plan to achieve environmental outcomes may be developed for the FMU or the rohe or a combination of both, (4) any limit or action plan developed to apply within a rohe: (a) prevails over any limit or action plan developed for the FMU for the same attribute, unless explicitly stated to the contrary, and (b) must be no less stringent than any limit set for the parent FMU for the same attribute, and (c) must not conflict with any limit set for the underlying FMU for attributes that are not the same, and (5) the term "no less stringent" in this policy applies to attribute states (numeric and narrative) and any other metrics and timeframes (if applicable). 	significant hydroelectric generation schemes.		 (a) <u>must</u> set target attribute states that are no less stringent than the parent FMU environmental outcomes if the same attributes are adopted in both the rohe and the FMU, and (b) may include additional attributes and target attribute states provided that any additional environmental outcomes give effect to the environmental outcomes for the FMU, (3) limits and action plans to achieve environmental outcomes, including by achieving target attribute states, may be developed for the FMU or the rohe or a combination of both, (4) any limit or action plan developed to apply within a rohe: (a) prevails over any limit or action plan developed for the FMU for the same attribute, unless explicitly stated to the contrary, and (b) must be no less stringent than any limit <u>or action plan</u> set for the parent FMU for the same attribute, and (c) must not conflict with any limit set <u>or action plan</u> <u>developed</u> for the <u>underlying parent</u> FMU for attributes that are not the same, and (5) the term "no less stringent" in this policy applies to attribute states (numeric and narrative) and any other metrics and timeframes (if applicable). 	

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		LF–VM–P6 – Relationship between FMUs and rohe			
		Where rohe have been defined within			
		 Where rohe have been defined within FMUs: (1) environmental outcomes must be developed for the FMU within which the rohe is located, (2) if <u>any</u> additional <u>rohe-specific</u> environmental outcomes are included for rohe, those environmental outcomes: (a) <u>must</u> set target attribute states that are no less stringent than the parent FMU environmental outcomes if the same attributes are adopted in both the rohe and the FMU, and (b) may include additional attribute states provided that any additional environmental outcomes give effect to the environmental outcomes for the FMU, (3) limits and action plans to achieve environmental outcomes are doubled for the FMU, (3) limits and action plans to achieve environmental outcomes including by achieving target attribute states, may be developed for the FMU or the rohe or a combination of both, (4) any limit or action plan developed to apply within a rohe: (a) prevails over any limit or 			
		action plan developed for the FMU for the same attribute, unless explicitly			
		(b) must be no less stringent than any limit <u>or action</u> <u>plan</u> set for the parent			
		FMU for the same attribute, and			

C Hunter Evidence Amendments	

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		 (c) must not conflict with any limit set or action plan developed for the underlying parent FMU for attributes that are not the same, and the term "no less stringent" in this policy applies to attribute states (numeric and narrative) and any other metrics and timeframes (if applicable). 			
LF – FW					
LF-FW-O8	130 157	 LF–FW–O8 – Fresh water In Otago's water bodies and their catchments: (1) the health of the wai supports the health of the people and thriving mahika kai, (2) water flow is continuous throughout the whole system, (3) the interconnection of fresh water (including groundwater) and coastal waters is recognised, (4) native fish can migrate easily and as naturally as possible and taoka species and their habitats are protected, and (5) the significant and outstanding values of Otago's outstanding water bodies are identified and protected. LF–FW–O8 – Fresh water In Otago's water bodies and their catchments: (7) the health of the wai supports the health of the people, their connections with water bodies, and thriving mahika kai, mahika kai, 	Contact opposes in part this objective. Similar to the points made above in respect of LF-VM-O2, Contact supports nearly all of the environmental goals outlined in the vision, and in particular, water quality and thriving mahika kai. However, it is concerned that this provision seeks to achieve outcomes which cannot be practicably achieved within the Clutha Mata-au FMU. For example, clause 4 of this objective seeks that native fish can migrate "as easily and as naturally as possible". "As possible" is a very high threshold and arguably achieving natural migration is possible in all circumstances by avoiding, or at its extreme removing an existing fish migration impediment such as a dam structure. Contact works hard to facilitate the effective passage of tuna and kanakana both up and down the Clutha Mata-Au, but its trap and transfer activities for these species could not be considered 'natural'. This requirement also	Contact requests that this objective to address the concerns noted. By way of example only, Contact proposes the following amendments to the objective (using the background document version as base text): LF-FW-O8 - Fresh water In Otago's water bodies and their catchments: (1) the health of the wai supports the health of the people, their connections with water bodies, and thriving mahika kai <u>mahika kai</u> , (2) water flow is continuous throughout the whole system, within catchments (ki uta ki tai), artificial interruption of water flow is minimised to the smallest degree	Delete LF-FW-O8.

C Hunter Evidence Amendments	
No further amendments required. Accept the analysis at s42A report.	

Provision	Page number	Notified version ¹ Background <u>document version²</u>	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		 (8) water flow is continuous throughout the whole system, within catchments (ki uta ki tai), artificial interruption of water flow is minimised to the smallest degree reasonably practicable, (9) the interconnection of fresh water (including groundwater) and coastal waters is recognised, (10) native fish can migrate easily and as naturally as possible and taoka species and their habitats are protected and sustained, and (11) the significant and outstanding values of Otago's outstanding water bodies are identified and protected. 	goes further than the NPSFM which does not require natural migration of indigenous fish species and instead seeks to ensure the passage of fish is maintained, or is improved, by instream structures. Contact is also concerned about the proposed amendment to LF- FW-O8(2) in the background document version for similar reasons. In respect of subclause (5), Contact reserves its position on this provision subject to the outcome of the Schedule 1 process which will determine the policies for identification of outstanding water bodies and their values. As a general point, Contact also seeks specific recognition of the essential contribution fresh water makes to hydroelectric generation in general, and the CHS in particular. As noted above, the CHS contributes approximately 12% of New Zealand's renewable electricity generation, is a lifeline utility, and is specifically recognised as nationally significant infrastructure under the NPSFM. Further, in order to give effect to the NPSREG, the essential contribution of fresh water to hydroelectric generation should be recognised.	 extent reasonably practicable, (3) the interconnection of fresh water (including groundwater) and coastal waters is recognised, (4) native fish can migrate easily and as naturally as possible practicable and taoka species and their habitats are protected and sustained to the extent reasonably practicable, and (5) the significant and outstanding values of Otago's outstanding water bodies are identified and protected, and (6) the contribution of fresh water to hydroelectric generation, and the nationally significant Clutha Hydro Scheme is recognised, provided for and protected, including consideration of generation capacity, storage and operational flexibility 		
LF-FW-O9	130 167	 LF–FW–O9 – Natural wetlands Otago's natural wetlands are protected or restored so that: (1) mahika kai and other mana whenua values are sustained and enhanced now and for future generations, (2) there is no decrease in the range and diversity of indigenous ecosystem types and habitats in natural wetlands, 	Contact opposes in part the objective, which fails to reflect the recognised policy exception for specified infrastructure in clause 3.22 of the NPSFM.	Contact seeks an amendment to the objective that appropriately reflects the exception for specified infrastructure in clause 3.22 of the NPSFM. By way of example, the objective could be amended to include a specific subclause (5) which reflects the process for specified infrastructure set out in the NPSFM,	 LF–FW–O9 – Natural wetlands Otago's natural wetlands are protected or restored so that: (1) mahika kai and other mana whenua values are sustained and enhanced now and for future generations, (2) there is no <u>net</u> decrease, and preferably an increase, in the <u>extent</u>-range and diversity of indigenous ecosystem types and habitats in natural wetlands, 	 Amend as follows: LF-FW-O9 - Natural wetlands Otago's natural wetlands are protected or restored so that: (1) mahika kai and other mana whenua values are sustained and enhanced now and for future generations, (2) there is no <u>net</u> decrease, and preferably an <u>net an</u> increase, in <u>the extent of natural wetlands and in</u> the

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		 (3) there is no reduction in their ecosystem health, hydrological functioning, amenity values, extent or water quality, and if degraded they are improved, and (4) their flood attenuation capacity is maintained. 			 (3) there is no reduction <u>and</u>, <u>where degraded</u>, there is an <u>improvement</u> in their wetland ecosystem health, hydrological functioning, amenity values, extent or water quality, and if degraded they are improved, and (4) their flood attenuation <u>and water storage</u> capacity is maintained <u>or improved</u>. 	 extent-and diversity of indigenous ecosystem types and habitats in natural wetlands, (3) there is no reduction and, where degraded, there is an where appropriate there is an improvement in wetland ecosystem health, hydrological functioning, amenity values, extent or water quality, and <u>if</u> <u>applicable</u> their flood attenuation and water storage capacity is maintained or improved.
		LF–FW–O9 – Natural wetlands				
		Otago's natural wetlands are protected or restored so that:				
		 (1) mahika kai mahika kai and other mana whenua values are sustained and enhanced now and for future generations, (2) there is no minimal decrease in the range extent and diversity of indigenous ecosystem types and habitats in natural wetlands, (3) there is no minimal reduction in their ecosystem health, hydrological functioning, amenity values, extent or water quality, and if these have been degraded they are improved, and (4) their flood attenuation and water storage capacity is maintained. 			LF-FW-P7 - Fresh water	No further amendments required.
LF-FW-P7	130 177	LF–FW–P7 – Fresh water Environmental outcomes, attribute states (including target attribute states) and limits ensure that:	Contact supports in part this policy, with the amendments proposed in the background document version, however, seeks further amendment to recognise the critical importance	Contact seeks amendment to LF-FW-P7 to appropriately recognise, provide for and protect the contribution of freehwater to renewable	LF-FW-P7 – Fresh water Environmental outcomes, attribute states (including target attribute states), environmental flows and levels, and limits ensure that:	No further amendments required.
		 the health and well-being of water bodies is maintained or, if degraded, improved, the habitats of indigenous species associated with water bodies are protected, 	of hydroelectric generation schemes to maintaining and increasing New Zealand's renewable electricity generation and meeting its emissions reduction goals, and the particular importance of the CHS in achieving that as	electricity generation and therefore climate change mitigation; and to recognise that there are practical limitations in respect of the CHS.	 (1) the health and well-being of water bodies is maintained or, if degraded, improved, (2) the habitats of indigenous <u>freshwater</u> species associated with water bodies are protected and sustained, 	

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		 including by providing for fish passage, (3) specified rivers and lakes are suitable for primary contact within the following timeframes: (a) by 2030, 90% of rivers and 98% of lakes, and (b) by 2040, 95% of rivers and 100% of lakes, and (4) mahika kai and drinking water are safe for human consumption, (5) existing over-allocation is phased out and future overallocation is avoided, and (6) fresh water is allocated within environmental limits and used efficiently. 	nationally significant infrastructure specifically recognised by the NPSFM. Similar to the points made above, Contact also seeks that the policy is amended to reflect that the ability to which habitats can be protected, or fish passage provided for, may be limited in respect of the CHS.	By way of example only, Contact proposes the following amendments: LF-FW-P7 - Fresh water Environmental outcomes, attribute states (including target attribute states), <u>environmental flows and</u> <u>levels</u> , and limits ensure that: (1) the health and well- being of water bodies is maintained or, if degraded, improved, (2) the habitats of indigenous <u>freshwater</u> species associated with water bodies are protected <u>and</u> <u>sustained</u> , including by providing for fish passage to the extent <u>reasonably</u> practicable, (2A) the habitats of trout and salmen are protected	 including by providi passage, (2A) the habitats of trout salmon are protected as this is consistent (3) specified rivers and suitable for primary within the following timeframes: (a) by 2030, 90% and 98% of lak (b) by 2040, 95% and 100% of la (4) resources harvestee water bodies includ mahika kai and drint water are safe for his consumption, (5) existing over-allocat phased out and futu allocation is avoided (6) fresh water is a within environmental limused efficiently
		 LF-FW-P7 - Fresh water Environmental outcomes, attribute states (including target attribute states), environmental flows and levels, and limits ensure that: (1) the health and well-being of water bodies is maintained or, if degraded, improved, (2) the habitats of indigenous freshwater species associated with water bodies are protected and sustained, including by providing for fish passage, (2A) the habitats of trout and salmon are protected, including by providing by providing for fish passage, insofar as protection is consistent with (2), (3) specified rivers and lakes are suitable for primary contact 		 to the extent reasonably practicable, including by providing for fish passage, insofar as protection is consistent with (2), (3) specified rivers and lakes are suitable for primary contact within the following timeframes: (4) by 2030, 90% of rivers and 98% of lakes, and (5) by 2040, 95% of rivers and 100% of lakes, and (6) mahika kai mahika kai and drinking water are safe for human consumption, (7) existing over- allocation is phased out and future over- 	

	C Hunter Evidence Amendments
ng for fish	
<u>and</u> d insofar with (2),	
lakes are contact	
of rivers es, and	
of rivers kes, and	
<u>l from</u> ng king ıman	
ion is re over- I , and	
located ts and	

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		 within the following timeframes: (a) by 2030, 90% of rivers and 98% of lakes, and (b) by 2040, 95% of rivers and 100% of lakes, and (4) mahika kai mahika kai and drinking water are safe for human consumption, (5) existing over-allocation is phased out and future over- allocation is avoided, and (6) allocation of fresh water is allocated within environmental limits on resource use and used efficiently- and (7) the role of freshwater management as part of New Zealand's integrated response to climate change is recognised. 		 allocation is avoided, and (8) <u>allocation of</u> fresh water is allocated within environmental limits <u>on resource use</u> and used efficiently: <u>and</u> (9) the role of freshwater management as part of New Zealand's integrated response to climate change is recognised, <u>provided</u> for and protected, including by protecting the generation capacity, storage and operational flexibility of the nationally significant Clutha Hydro Scheme. 		
LF-FW-P9	131 188	LF-FW-P9 - Protecting natural wetlands Protect natural wetlands by: (1) avoiding a reduction in their values or extent unless: (a) the loss of values or extent arises from: (i) the customary harvest of food or resources undertaken in accordance with tikaka Māori, (ii) restoration activities, (iii) scientific research, (iv) the sustainable harvest of sphagnum moss, (v) the construction or maintenance of wetland utility structures, (vi) the maintenance of operation of specific	Contact opposes this policy. Contact considers this policy does not accurately reflect the requirements of the NPSFM and fails to provide a consenting pathway for specified infrastructure as anticipated by the NPSFM and in order to give effect to the NPSREG. Contact's position on this policy is also dependent on the outcome of other provisions cross-referred to within the policy that are to be considered as part of the Schedule 1 process (including ECO-P3 and ECO-P6). In addition, Contact considers that subclause (2) is inappropriate as it appears to be more restrictive than the effects management hierarchy set out in the NPSFM.	Contact seeks changes to ensure that the policy accurately reflects the requirements of the NPSFM, the NPSREG and the need to protect existing and provide for new renewable electricity generation as a core part of climate change mitigation. Given the linkages with the other policies to be considered in the Schedule 1 process, we have not sought specific changes at this stage.	 LF–FW–P9 – Protecting natural wetlands Protect natural wetlands by implementing clause 3.22(1) to (3) of the NPSFM, except that: (1) in the coastal environment, natural wetlands must also be managed in accordance with the NZCPS, and (2) when managing the adverse effects of an activity on indigenous biodiversity, the effects management hierarchy (in relation to indigenous biodiversity) applies instead of the effects management hierarchy (in relation to and rivers). Protect natural wetlands by: (1) avoiding a reduction in their values or extent unless: 	 Amend to delete sub-clause (2) as follows: LF–FW–P9 – Protecting natural wetlands Protect natural wetlands by implementing clause 3.22(1) to (3) of the NPSFM, except that: (1) — in the coastal environment, natural wetlands must also be managed in accordance with the NZCPS, and (2) when managing the adverse effects of an activity on indigenous biodiversity, the effects management hierarchy (in relation to indigenous biodiversity) applies instead of the effects management hierarchy (in relation to natural wetlands and rivers).

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report	C Hunter Evidence
	number	Background document version ²			Recommendations	Amendments
		infrastructure, or			(a) the loss of values or	
		other infrastructure,			extent dises nom.	
		(VII) natural hazard works,			(i) the customary harvest	
		or			of food or resources	
		(b) the Regional Council is			undertaken in	
		satisfied that:			accordance with	
		(i) the activity is			tikaka Māori,	
		necessary for the			(ii) restoration activities,	
		construction or			(iiii) sciontific rosparch	
		upgrade of specified			(iii) scientific research,	
		Infrastructure,			(iv) the sustainable	
		(II) the specified			harvest of sphagnum	
					moss,	
		provide significant			(v) the construction or	
		national or regional			maintenance of	
		Denetits,			wetland utility	
		(III) there is a functional			structures,	
		need for the specified			(vi) the maintenance of	
		Infrastructure in that			operation of specific	
		IOCATION,			infrastructure, or other	
		(IV) the effects of the			infrastructure,	
		activity on indigenous				
		biodiversity are			(VII) natural nazara works,	
		managed by applying			OF I	
		either ECO–P3 or			(b) the Regional Council is	
		ECO–P6 (whichever			satisfied that:	
		is applicable), and			(i) Othe activity is	
		(v) the other effects of			necessary for the	
		the activity (excluding			construction or	
		those managed under			upgrade of specified	
		(1)(D)(IV)) are managed			infrastructure,	
		by applying the			(ii) the specified	
		effects management			infrastructure will	
		nierarcny, and			provide significant	
		(2) not granting resource			national or regional	
		(1)(b) upleas the Designed			benefits,	
		(I)(D) UNIESS THE REGIONAL			(iii) there is a functional	
					(III) there is a functional	
		(a) the application			infrastructure in that	
		aemonstrates how each			location-	
		step of the effects				
					(iv) the effects of the	
		in (1)(D)(iv) and (1)(D)(v) will			activity on indigenous	
		be applied to the loss of			biodiversity are	
		values or extent of the			managed by applying	
		natural wetland, and			ECO D6 (whichover is	
		(D) any consent is granted			annlicable) and	
		subject to conditions that				
		apply the effects			(v) the other effects of	
					the activity (excluding	

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report	C Hunter Evidence
	number	Background document version ²			Recommendations	Amendments
		management hierarchies in (1)(b)(iv) and (1)(b)(v).			those managed under (1)(b)(iv)) are managed by applying the effects management hierarchy, and (2) not granting resource consents for activities under (1)(b) unless the Regional Council is satisfied that: (a) the application demonstrates how each	
					step of the effects management hierarchies in (1)(b)(iv) and (1)(b)(v) will be applied to the loss of values or extent of the natural wetland, and (b) any consent is granted subject	
					to conditions that apply the effects management hierarchies in (1)(b)(iv) and (1)(b)(v).	
		LF–FW–P9 – Protecting natural wetlands				
		Protect natural wetlands by:				
		 Protect natural wetlands by: (1) avoiding a reduction in their values or extent unless: (a) the loss of values or extent arises from: (i) the customary harvest of food or resources undertaken in accordance with tikaka Māori, (ii) restoration activities, (iii) scientific research, (iv) the sustainable harvest of sphagnum moss, (v) the construction or maintenance of wetland utility 				
		structures, (vi) the maintenance of <u>or</u> operation of specific <u>specified</u> infrastructure, or other infrastructure, (vii) natural hazard works, or				

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
	number	Background document version ²			Recommendations
		 Background document version² (b) the Regional Council is satisfied that: (i) the activity is necessary for the construction or upgrade of specified infrastructure, (ii) the specified infrastructure will provide significant national or regional benefits, (iii) there is a functional need for the specified infrastructure in that location, (iv) the effects of the activity on indigenous biodiversity are managed by applying either ECO-P3 or the effects management hierarchy (in relation to indigenous biodiversity in ECO-P6 (whichever is applicable), and (v) the other effects of the activity (excluding those managed under (1)(b)(iv)) are managed by applying the effects management hierarchy (in relation to natural wetlands and rivers) in LF-FW-P13A, and (2) not granting resource consents for activities under (1)(b) unless the Regional Council is satisfied that: (a) the application demonstrates how each step of the effects management hierarchies hierarchy (in relation to rediction to rediction to rediction to natural wetch the effects management hierarchies hierarchy (in relation to rediction to the effects to the to the effects to the e			
		nierarchy (in relation to indigenous biodiversity) in (1)(b)(iv) and <u>the effects</u> <u>management hierarchy (in</u> <u>relation</u> to natural			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
LF-FW-P10	132 193	 Background document version² wetlands and rivers) in (1)(b)(v) will be applied to the loss of values or extent of the natural wetland, and (b) any consent is granted subject to conditions that apply the effects management hierarchies in (1)(b)(iv) and hierarchies hierarchy (in relation to indigenous biodiversity) in (1)(b)(iv) and the effects management hierarchy (in relation to natural wetlands and rivers) in (1)(b)(v) in respect of any loss of values or extent of the natural wetland. LF-FW-P10 - Restoring natural wetlands Improve the ecosystem health, hydrological functioning, water quality and extent of natural wetlands that have been degraded or lost by requiring, where possible: an increase in the extent and quality of habitat for indigenous species, the restoration of hydrological processes, control of pest species and vegetation clearance, and the exclusion of stock. Same as above. 	Contact opposes in part this policy, which fails to appropriately recognise the exception for specified infrastructure as set out in clause 3.22 of the NPSFM and fails to give effect to the NPSREG.	Contact seeks amendments to the policy that appropriately recognise the specific exception for specified infrastructure as provided in clause 3.22 of the NSPFM and to give effect to the NPSREG.	 LF–FW–P10 – Restoring natural wetlands Improve the ecosystem health, hydrological functioning, water quality and extent of natural wetlands that have been degraded or lost by requiring, to the greatest extent practicable where possible: (1) an increase in the extent and quality condition of habitat for indigenous species, (2) the restoration of hydrological processes, (3) control of pest species and vegetation clearance, and (4) the exclusion of stock. 	Amend as follows: LF-FW-P10 - Restoring natural wetlands Where it is appropriate and can be practicably achieved, limprove the ecosystem health, hydrological functioning, water quality and extent of natural wetlands that have been degraded or-lost-by requiring, to the greatest extent practicable where possible: (1) an increase in the extent and quality condition of habitat for indigenous species, (2) the restoration of hydrological processes, (3) control of pest species and vegetation clearance, and (4) the exclusion of stock.

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report	C Hunter Evidence
	number	Background document version ²			Recommendations	Amendments
LF-FW-P15	133	LF–FW–P15 – Stormwater and	Contact supports in part LF-FW-P15	Contact seeks amendments to	LF–FW–P15 – Stormwater and wastewater discharges	No further amendments are
	203	wastewater discharges	as set out in the background	LF-FW-P15 to make clear that	Minimise the adverse effects of	necessary.
	208	Minimise the adverse effects of direct	provision appears appropriate for	stormwater only	direct and indirect discharges of	
		and indirect discharges of stormwater	urban stormwater, it may not be	stornwater only.	stormwater and wastewater to	
		and wastewater to fresh water by:	appropriate for all situations		fresh water by:	
		(1) except as required by LF-	including for example construction			
		VM–O2 and LF–VM–O4,	stormwater in rural environments		(I) except as required by LF-	
		preferring discharges of			preferring discharges of	
		wastewater to land over	Contact is neutral on LF-FW-P15A		wastewater to land over	
		discharges to water, unless	as set out in the background		discharges to water, unless	
		adverse effects associated	document version.		adverse effects associated	
		with a discharge to land are			with a discharge to land are	
		greater than a discharge to			greater than a discharge to	
		water, and			water, and	
		(2) requiring:			(2) requiring:	
		(a) all sewage, industrial or			(a) all cowage industrial or	
		trade waste to be			trade waste to be	
		discharged into a			discharged into a	
		reticulated wastewater			reticulated wastewater	
		system, where one is			system, where one is	
		(b) all starmustar to be			available,	
		(b) all stormwater to be			(ab) integrated catchment	
		roticulated system where			management plans for	
		one is available			management of	
		(c) implementation of			stormwater in urban	
		methods to progressively			areas,	
		reduce the frequency and			(b) all stormwater to be	
		volume of wet weather			(b) all stormwater to be	
		overflows and minimise			reticulated system where	
		the likelihood of dry			one is made available, by	
		weather overflows			the operator of the	
		occurring for reticulated			reticulated system, unless	
		stormwater and			alternative treatment and	
		wastewater systems,			disposal methods will	
		(d) on-site wastewater			result in improved	
		systems to be designed			outcomes for fresh water	
		and operated in			(c) implementation of	
		accordance with best			methods to progressively	
		practice standards,			reduce the frequency and	
		(e) stormwater and			volume of wet weather	
		wastewater discharges to			overflows and minimise	
		meet any applicable			the likelihood of dry	
		water quality standards			weather overflows	
		set for FMUs and/or rohe,			occurring for reticulated	
		and			wastewater systems	
		(f) the use of water sensitive			wastewater systems,	
		urban design techniques			(d) on-site wastewater	
		to avoid or mitigate the			systems to be designed	

Provision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report	C Hunter Evidence
	number	Background document version ²			Recommendations	Amendments
		potential adverse effects of contaminants on receiving water bodies from the subdivision, use or development of land, wherever practicable, and (3) promoting the reticulation of stormwater and wastewater in urban areas.			 and operated in accordance with best practice standards, (e) that any stormwater and wastewater discharges do not prevent water bodies from to meeting any applicable water quality standards set for FMUs and/or rohe, and (f) the use of water sensitive urban design techniques to avoid or mitigate the potential adverse effects of contaminants on receiving water bodies from the subdivision, use or development of land, wherever practicable, and (3) promoting the reticulation of stormwater and wastewater in urban areas. 	
		 LF–FW–P15 – Stormwater and wastewater industrial and trade waste discharges Minimise the adverse effects of direct and indirect discharges of stormwater and industrial and trade wastewastewater to fresh water by: (1) except as required by LF–VM–O2 and LF–VM–O4, preferring discharges of wastewater to land over discharges to water, unless adverse effects associated with a discharge to land are greater than a discharge to water, and (2) requiring: (a) all sewage, industrial or trade waste to be discharged into a reticulated wastewater system, where one is available, (b) all stormwater and industrial and trade waste to be discharged into a 				

Provision	Page number	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		background document version ² one is <u>made</u> available <u>by</u> the operator of the			
		reticulated system, unless alternative treatment and disposal methods will			
		(c) implementation of			
		reduce the frequency and volume of wet weather overflows and minimise			
		the likelihood of dry weather overflows occurring for_into			
		reticulated stormwater and wastewater systems, (d)—on-site wastewater systems to be designed			
		and operated in accordance with best practice standards,			
		(e) stormwater and wastewater <u>that</u> discharges to meet any applicable water quality standards set for FMUs			
		and/or rohe, and (f) the use of water sensitive urban design techniques to avoid or mitigate the			
		potential adverse effects of contaminants on receiving water bodies from the subdivision, use			
		 or development of land, wherever practicable, and (3) promoting the reticulation of stormwater and wastewater in 			
		 urban areas-<u>and</u> (4) promoting source control as a method for reducing contaminants in discharges of stormwater and industrial and tracks wasies 			
		LF-FW-P15 – Stormwater and wastewater industrial and trade waste discharges			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		Minimise the adverse effects of direct and indirect discharges of stormwater and industrial and trade waste wastewater to fresh water by:			
		(1) except as required by LF–VM–O2 and LF–VM–O4, preferring discharges of wastewater to land over discharges to water, unless adverse effects associated with a discharge to land are greater than a discharge to water, and			
		(2) requiring:			
		(a) all sewage, industrial or trade waste to be discharged into a reticulated wastewater system, where one is available,			
		(b) all stormwater and industrial and trade waste to be discharged into a reticulated system, where one is <u>made</u> available <u>by the operator of the</u> reticulated system, unless alternative treatment and disposal methods will result in improved environmental <u>outcomes</u> ,			
		(c) implementation of methods to progressively reduce the frequency and volume of wet weather overflows and minimise the likelihood of dry weather overflows occurring for into reticulated stormwater and wastewater systems,			
		(d) on-site wastewater systems to be designed and operated in accordance with best practice standards,			
		(e) stormwater and wastewater that any discharges <u>do not prevent water</u> <u>bodies from</u> to meeting any applicable water quality standards set for FMUs and/or rohe, and			
		(f) the use of water sensitive urban design techniques to avoid or mitigate the potential adverse effects of contaminants on receiving water bodies from the subdivision, use or development of land, wherever practicable, and			

C Hunter Evidence Amendments

Pro	ovision	Page	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report
		number	Background document version ²			Recommendations
			 (3) promoting the reticulation of stormwater and wastewater in urban areas, and (4) promoting source control as a method for reducing contaminants in discharges of stormwater and industrial and trade waste. LF-FW-P15A – Discharges containing animal effluent, sewage and other human wastes, and industrial and trade waste 			
			LF–FW–E3 – Explanation			
			 The outcomes sought for natural wetlands are implemented by requiring identification, protection and restoration. The first two policies reflect the requirements of the NPSFM for identification and protection but apply that direction to all natural wetlands, rather than only inland natural wetlands (those outside the coastal marine area) as the NPSFM directs. This reflects the views of takata whenua mana whenua and the community that fresh and coastal water, including wetlands, should be managed holistically and in a consistent way. While the NPSFM requires promotion of the restoration of natural inland wetlands, the policies in this section take a stronger stance, requiring improvement where natural wetlands have been degraded or lost. This is because of the importance of restoration to Kāi Tahu, to recognise and in recognition of the historic loss of wetlands in Otago, and the indigenous biodiversity values and hydrological values of wetland systems. The impact of discharges of stormwater and wastewater on			

C Hunter Evidence Amendments

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
		for mana whenua and has contributed to water quality issues in some water bodies. The policies set out a range of actions to be implemented in order to improve the quality of these discharges and reduce their adverse effects on receiving environments.				
LF – LS						
LF-LS-P18	138 249	 LF-LS-P18 - Soil erosion Minimise soil erosion, and the associated risk of sedimentation in water bodies, resulting from land use activities by: (1) implementing effective management practices to retain topsoil in-situ and minimise the potential for soil to be discharged to water bodies, including by controlling the timing, duration, scale and location of soil exposure, (2) maintaining vegetative cover on erosion-prone land, and (3) promoting activities that enhance soil retention. LF-LS-P18 - Soil erosion Minimise soil erosion, and the associated risk of sedimentation in water bodies, resulting from land use activities by: (1) implementing appropriate and effective management practices to retain topsoil in- 	Contact supports the policy as appropriate guidance for land use. However, seeks to include "where practicable" within clauses (1) and (2) to recognise that in some instances (for example, the development of a wind farm) the ability to retain topsoil in situ or to maintain vegetative cover may be limited by practical considerations.	Contact seeks amendments to the policy to reflect that there may sometimes be practical limitations in respect of clauses (1) and (2).	 LF-LS-P18 – Soil erosion Minimise soil erosion, and the associated risk of sedimentation in water bodies, resulting from land use activities by: (2) maintaining vegetative cover on erosion-prone land, and (1) where vegetation removal is necessary or there is no vegetative cover, implementing effective management practices to retain topsoil in-situ and minimise the potential for soil to be discharged to water bodies, including by controlling the timing, duration, scale and location of soil exposure, and (3) promoting activities that enhance soil retention. 	 Amend as follows: LF-LS-P18 – Soil erosion Minimise soil erosion, and the associated risk of sedimentation in water bodies, resulting from land use activities by: (2) maintaining vegetative cover on erosion-prone land, and (1) where vegetation removal is necessary or there is no vegetative cover, implementing effective management practices to retain topsoil in-situ and minimise the potential for soil to be discharged to water bodies, including by controlling the timing, duration, scale and location of soil exposure, and (3) promoting activities that enhance soil retention. (The need to re-number the subclauses is noted in the s42A report at [1725]).

Provision	Page number	Notified version ¹ Background document version ²	Contact's comments	Changes requested ³	Section 42A Report Recommendations	C Hunter Evidence Amendments
	139	 potential for soil to be discharged to water bodies, including by controlling the timing, duration, scale and location of soil exposure, (2) maintaining vegetative cover on erosion-prone land, to the <u>extent practicable</u>, and (3) promoting activities that enhance soil retention. 	Contact supports in part the policy	Contact speks amondments to	LF–LS–P21 – Land use and fresh	No further amendments
	139 LF–LS–P21 – Land use 255 water Achieve the improvement maintenance of fresh w quality to meet environ outcomes set for Fresh Management Units and (1) reducing direct discharges of development of (2) managing land have adverse of flow of water in bodies or the r groundwater.		as amended in the background document version. Consistent with the comments made elsewhere in this submission, Contact seeks recognition that the extent to which the riparian margins of the waterbodies associated with the Clutha Hydro Scheme can be maintained or enhanced may be limited by practical considerations necessary to protect the generation capacity, storage and operational flexibility of the Scheme, consistent with NPSFM direction and the NPSREG.	LF-LS-P21(3) to recognise that there are practical limitations to the extent to which the margins of the waterbodies associated with the Clutha Hydro Scheme can be maintained or enhanced.	 water Achieve the improvement or maintenance of The health and well-being of water bodies is maintained or, if degraded, improved quantity or quality to meet environmental outcomes set for Freshwater Management Units and/or rohe by: (1) reducing or otherwise managing the adverse effects of direct and indirect discharges of contaminants to water from the use and development of land, and (2) managing land uses that may have adverse effects on the flow of water in surface water bodies or the recharge of groundwater; and (3) maintaining or, where degraded, enhancing the habitat and biodiversity values of riparian margins. 	necessary.
		LF–LS–P21 – Land use and fresh water Achieve the improvement or maintenance of fresh water quantity or quality The health and well-being of water bodies is maintained or, if degraded, improved to meet environmental outcomes set for Freshwater Management Units and/or rohe by: (1) reducing <u>or otherwise</u> <u>managing the adverse effects</u> <u>of</u> direct and indirect				

Provision	Page number	Notified version ¹	Contact's comments	Changes requested ³	Section 42A Report Recommendations
		 discharges of contaminants to water from the use and development of land to meet environmental outcomes, and (2) managing land uses that may have adverse effects on the flow of water in surface water bodies or the recharge of groundwater and. (3) maintaining or, where degraded, enhancing the habitat and biodiversity values of riparian margins in order to reduce sedimentation of water bodies and support improved functioning of catchment processes. 			
Maps					
MAP 1	220	MAP1 - Freshwater Management Units	Contact supports the maps and the proposed FMUs and rohe as shown within it.	No changes requested.	

C Hunter Evidence Amendments
No further amendments necessary.