

REGIONAL PLAN: WATER FOR OTAGO

Decisions on Proposed Plan Change

Proposed Plan Change 5A (Lindis: Integrated water management)

The Otago Regional Council has made decisions on submissions to a change to the Regional Plan: Water for Otago (Water Plan).

This Proposed Plan Change introduces:

- Minimum flows and allocation limits for the Lindis River and connected Lindis Alluvial Ribbon Aquifer; and
- Maximum allocation limits for the Ardour Valley, Bendigo and Lower-Tarras Aquifers.

The decision may be inspected at:

- Otago Regional Council offices at:
 - 70 Stafford Street, Dunedin
 - William Fraser Building, Dunorling Street, Alexandra
- All public libraries throughout the Otago region
- Service centres of Otago's city and district councils
- Council's website: www.orc.govt.nz

Right to appeal to the Environment Court:

Those who submitted on the proposal may appeal the Council decision to the Environment Court within 30 working days of notice of decision being served (under clause 14 of Schedule 1, Resource Management Act 1991). Any such appeal must be in the prescribed form, and a copy of the notice must be sent to the Otago Regional Council in the manner prescribed by the Resource Management Act 1991.

Address for service of local authority:

Post to Otago Regional Council
Private Bag 1954
Dunedin 9054

Fax to (03) 479 0015

Email to policy@orc.govt.nz

Fraser McRae

Director Policy Planning & Resource Management

Signed on behalf of the Otago Regional Council

Saturday 13 August 2016

Notified in accordance with Clause 5 of Schedule 1, Resource Management Act 1991.

