### **Attachment 2**

# Regional Plan: Water for Otago

Proposed Plan Change 5A (Lindis: Integrated water management)

ISBN 978-0-908324-12-5



#### Introduction

The Otago Regional Council has prepared Proposed Plan Change 5A (Lindis: Integrated water management) to the Regional Plan: Water for Otago. Proposed Plan Change 5A:

- Sets a management regime (allocation limits and minimum flow) for surface water and connected groundwater in the Lindis catchment;
- Sets a management regime (maximum allocation limits and take restrictions) for specified aquifers within the Bendigo-Tarras Basin (Ardgour Valley, Bendigo and Lower Tarras Aquifers);
- Maps the minimum flow catchment boundaries and monitoring site associated with the Lindis River in the B-series of the Water Plan maps; and
- Maps the boundaries of the Ardgour Valley, Bendigo and Lower Tarras aquifers and amends the boundaries of the Lindis Alluvial Ribbon Aquifer in the C-series map of the Water Plan.

This document should be read in conjunction with:

- Section 32 Evaluation Report; and
- Regional Plan: Water for Otago (operative as at 1 June 2015).

Amendments to the operative Regional Plan: Water for Otago as a result of Proposed Plan Change 5A are shown as follows: (additions <u>underlined</u>, deletions <u>struck out</u>).

Changes to the provisions of the operative Regional Plan: Water for Otago that are proposed under Plan Change 3C (Waiwera catchment minimum flow), Plan Change 4B (Groundwater allocation) and Plan Change 4C (Groundwater management: Cromwell Terrace Aquifer) are shown in this document in **blue**.

Any person may make comments on this consultation draft. You may do so by sending written comments to the Otago Regional Council, or by telephone.

Post to	Otago Regional Council Private Bag 1954 Dunedin 9054			
Fax to	(03) 479 0015			
Email to	policy@orc.govt.nz			
Deliver to	Otago Regional Council			
	70 Stafford Street Dunedin	William Fraser Building Dunorling Street Alexandra	The Station, First Floor Cnr Shotover and Camp Streets Queenstown	
Telephone	(03) 474 0827; 080	00 474 082		

Submissions will be received until 5pm on Friday 4 September 2015.

### **Table of Contents**

1.	Policy 6.4.5 (pages 6-21 to 6-23 of Plan*)	2
2.	Rule 12.1.4.4 (pages 12-9 to 12-10 of Plan)	6
3.	Schedule 2 (pages 20-59 to 20-63 of Plan)	10
4.	Schedule 4 (pages 20-66 to 20-67 of Plan)	12
5.	Minor and consequential changes	13
6.	Maps	15

<sup>\*</sup> Regional Plan: Water for Otago operative as at 1 June 2015.

Water Quantity



### **6.1 to 6.3** [*Unchanged*]

### 6.4 Policies applying to the management of the taking of water

### 6.4.0 to 6.4.4 [*Unchanged*]

- 6.4.5 The minimum flows established by Policies 6.4.3, 6.4.4, 6.4.6, 6.4.9 and 6.4.10 will apply to resource consents for the taking of water, as follows:
  - (a) In the case of new takes applied for after 28 February 1998, upon granting of the consent; and
  - (b) In the case of any resource consent to take water from within the Taieri above Paerau and between Sutton and Outram, Welcome Creek, Shag, Kakanui, Water of Leith, Lake Hayes, Waitahuna, Trotters, Waianakarua, Pomahaka, Waiwera and Lake Tuakitoto catchment areas as defined in Schedule 2A, subject to the review of consent conditions under Sections 128 to 132 of the Resource Management Act; and
  - (c) In the case of any existing resource consent to take water from the Lindis catchment area, Luggate catchment area, Manuherikia catchment area (upstream of Ophir) and the Taieri catchment areas Paerau to Waipiata, Waipiata to Tiroiti and Tiroiti to Sutton, as defined in Schedule 2A, upon collective review of consent conditions within those catchments under Sections 128 to 132 of the Resource Management Act; and
  - (d) In the case of any existing resource consent to take water within a catchment area not specified in Schedule 2A, upon the establishment of a minimum flow set for the water body by a plan change, subject to the review of consent conditions under Sections 128 to 132 of the Resource Management Act.

#### **Explanation**

This policy provides for the application of minimum flows to consents as follows:

- 1. New takes are subject to minimum flow provisions when the consent is granted.
- 2. For resource consents to take from rivers within catchments specified in Schedule 2A, except for the <u>Lindis</u>, Luggate, Manuherikia (upstream of Ophir) and the Taieri between Paerau and Sutton, the minimum flow provisions apply, subject to the review of consent conditions under Sections 128 to 132 of the RMA.
- 3. For the <u>Lindis</u>, Luggate, Manuherikia (upstream of Ophir) and the Taieri between Paerau and Sutton, the minimum flows will not apply until after a collective review of the consents in the catchments. This will occur before 2021 if there is agreement by the holders of mining privileges (deemed permits) to adhere to the minimum flows, or on the expiry of the mining privileges on 2 October 2021. Where

- environmental benefit will result from applying minimum flows to any resource consents (other than deemed permits) in these catchments, the review of those resource consent conditions may also occur earlier.
- 4. For resource consents to take from rivers within catchments not specified in Schedule 2A, the minimum flow provisions will apply from the operative date of a plan change setting the minimum flow for the river, subject to the review of consent conditions under Sections 128 to 132 of the RMA.

Reviews under Section 128 of the Resource Management Act will be undertaken simultaneously on all reviewable takes within each catchment, in the interests of equity.

In the case of mining privileges in respect of water (deemed permits, see Appendix 2) the Resource Management Act provides for their continuation without restriction, unless compensation is made, until they expire in 2021.

However, arrangements for the conversion of such permits to resource consents may be developed before that time. Alternatively, arrangements for voluntary adherence by deemed permit holders to the minimum flows may occur. Under voluntary arrangements, or conversion of deemed permits to resource consents, or in 2021, these resource consents or deemed permits will become subject to the minimum flows established by this Plan.

The process of consent review must be completed by 2 October 2021, allowing coordination with the review of any deemed permits that may be operating in an area.

### **Principal reasons for adopting**

This policy is adopted to enable the minimum flow provisions of the Plan to be applied as soon as practicable to existing resource consents to take water.

In the <u>Lindis catchment area</u>, <u>Luggate</u> catchment area, Manuherikia catchment area (upstream of Ophir) and Taieri catchment areas between Paerau and Sutton, there is a very high proportion of mining privileges. Therefore the application of minimum flows to resource consents may be timed to coincide with their application to deemed permits (either through voluntary methods or in 2021). Where environmental benefit will result from applying minimum flows to any resource consents (other than deemed permits) in these catchments, the review of those resource consent conditions may also occur earlier.

In unscheduled catchments the minimum flows, once established and set by a plan change, will be applied to the reviewable consents in those catchments.

This will ensure that restricting water takes will result in actual environmental benefits.

Rules: 12.1.4.2 to 12.1.5.1

Other methods: 15.9.1.3, 15.9.1.4

6.4.6 to 6.7.8 [Unchanged]

# **12**

### Rules: Water Take, Use and Management



### 12.0. [Unchanged]

### 12.1.1 to 12.1.3 [Unchanged]

#### 12.1.4 Restricted discretionary activities: Resource consent required

12.1.4.1 to 12.1.4.3 [Unchanged]

12.1.4.4 Taking and use of surface water as primary allocation applied for prior to 28 February 1998 in the following Schedule 2A catchments, shown on the B-series maps:

Lindis Catchment,

Luggate Catchment,

Manuherikia Catchment Upstream of Ophir,

Taieri Catchment Paerau to Waipiata,

Taieri Catchment Waipiata to Tiroiti, and

Taieri Catchment Tiroiti to Sutton:

- (i) This rule applies to the taking of surface water, as primary allocation, in the above catchment areas, if the taking was the subject of a resource consent or other authority:
  - (a) Granted before 28 February 1998; or
  - (b) Granted after 28 February 1998, but was applied for prior to 28 February 1998; or
  - (c) Granted to replace a resource consent or authority of the kind referred to in paragraph (a) or (b).
- (ii) Unless covered by Rule 12.1.1A.1, the taking and use of surface water to which this rule applies is a *restricted discretionary* activity. The matters to which the Otago Regional Council has restricted the exercise of its discretion are set out in Rule 12.1.4.8.
- (iii) The minimum flows set out in Schedule 2A of this Plan for the above catchments shall affect the exercise of every resource consent or other authority, of the kind referred to in paragraph (i) of this rule, in the <u>Lindis catchment area</u>, Luggate catchment area, Manuherikia catchment area (upstream of Ophir) and Taieri catchment areas Paerau to Waipiata, Waipiata to Tiroiti and Tiroiti to Sutton, upon review of consent conditions.
- (iv) The conditions of all such consents will be reviewed by the Otago Regional Council under Sections 128 to 132 of the Act to enable the minimum flows set by Schedule 2A to be met, the volume and rate of take to be measured in accordance with Policy 6.4.16 and the taking to be subject to Rule 12.1.4.9.
- (v) The minimum flows set in Schedule 2A for the <u>Lindis</u> catchment area, Luggate catchment area, Manuherikia catchment area (upstream of Ophir) and Taieri catchment

areas Paerau to Waipiata, Waipiata to Tiroiti and Tiroiti to Sutton, shall not apply to any consents referred to in clause (i), paragraphs (a) to (c) of this rule until the review of consent conditions set out in clause (iv) of this rule occurs.


12.1.4.4A [Repealed – 1 March 2012]

12.1.4.5 to 12.1.4.9 [Unchanged]

12.1.5 to 12.1.6 [Unchanged]

12.2 to 12.11 [Unchanged]

# 20 Schedules



## 2A Schedule of specific minimum flows for primary allocation takes in accordance with Policy 6.4.3, and primary allocation limits in accordance with Policies 6.4.2(a) and 6.4.1A

The following schedule:

- 1. ...
- 2. ...
- 3. The catchments in which the limit set by Policy 6.4.2(a) is exceeded by Policy 6.4.2(b) (as at 20 December 2008 8 August 2015) are the Kakanui, Lake Hayes, Lindis, Luggate, Manuherikia, Pomahaka, Shag and Taieri.

Catchment (See the B-series maps)	Monitoring Site (with MS number) See the B-series maps	Minimum flow (litres per second – instantaneous flow)	Primary Allocation Limits in accord with Policy 6.4.2(a) (litres per second – instantaneous flow)
•••			
<b>Lindis River</b>	Ardgour Road	750 (1 October to	1,000
Catchment	(MS 17)	31 May)	Lindis catchment from
			confluence with
		1,600 (1 June to 30	Clutha/Mata-Au to
		September)	<u>headwaters</u>

### ••

### 2B Schedule of supplementary allocation blocks and specific minimum flows in accordance with Policy 6.4.9(c)

Catchment (See the B-series maps) & Supplementary Block Number	Minimum Flow (litres per second – instantaneous flow) at the monitoring site(s) (See the B-series maps)	Supplementary Allocation Block (litres per second – instantaneous flow)	
Lindis catchment (first supplementary	May to November: 2200 Ardgour Road (MS 17)	500	
allocation block)	December to April: 1600 Ardgour Road (MS 17)	500	
Lindis catchment (second supplementary	May to November: 2700 Ardgour Road (MS 17)	500	
allocation block)	December to April: 2100 Ardgour Road (MS 17)	500	

• • •

## 2C Schedule of aquifers where groundwater takes are to be considered as primary allocation, and subject to minimum flows of specified catchments in accordance with Policy 6.4.1A

Aquifer Name	Map Reference	Catchment to which primary or supplementary allocation limits apply, and minimum flows may apply*
Kakanui-Kauru Alluvium Aquifer	C17 & C18	Kakanui catchment*
Shag Alluvium Aquifer	C19	Shag catchment*
Lindis Alluvial Ribbon Aquifer	C5 & C6	Lindis catchment**
Cardrona Alluvial Ribbon Aquifer	C2 & C3	Cardrona catchment upstream of the Mount Barker recorder site**
Lowburn Alluvial Ribbon Aquifer	C7	Lowburn Stream**
Pomahaka Alluvial Ribbon Aquifer	C22 & C23	Pomahaka catchment*

<sup>\*</sup> as given in Schedules 2A and 2B.

<sup>\*\*</sup> as provided for by Policies 6.4.2, 6.4.3 and 6.4.9.

### 4. Schedule of the allocation and restriction regime for groundwater

This schedule sets out restrictions that apply to the taking of groundwater from certain aquifers in Otago.

Schedule 4A identifies maximum allocation limits for the taking of groundwater from aquifers identified in the C-series maps, in accordance with Policy 6.4.10A2 of this Plan. Schedule 4B.1 identifies water levels at which the taking of groundwater will be restricted in accordance with Policy 6.4.10A1 of this Plan. Schedule 4C identifies matters to be considered when making additions to these schedules through a plan change.

### 4A Maximum allocation limits for groundwater takes from aquifers

Aquifer Name	Map Reference	Maximum Allocation Limit (million cubic metres per year)
Ardgour Valley Aquifer	<u>C6</u>	<u>0.19</u>
Bendigo Aquifer	<u>C6</u>	<u>29</u>
Cromwell Terrace Aquifer	C7	4
Lower Tarras Aquifer	C5 & C6	<u>18.8</u>
North Otago Volcanic Aquifer	C15, C16, C17 & C18	7

### 4B Restrictions for groundwater takes

### **4B.1** [Unchanged]

### 4B.2 Restrictions for aquifers connected to Lake Dunstan or the main stem of the upper Clutha River/Mata-Au

Takes from aquifers that are hydraulically connected to Lake Dunstan or the main stem of the Clutha River/Mata-Au above Lake Dunstan are subject to the following restrictions, which are intended to maintain lake levels.

Aquifer Name	Map Reference	Restriction	
Bendigo Aquifer	<u>C6</u>	There shall be no take for irrigation purposes between 1 May and 31 August .inclusive.	
Cromwell Terrace Aquifer	C7	Other restrictions may be imposed on	
Lower Tarras Aquifer	<u>C5 &amp; C6</u>	resource consents to help maintain lake <u>levels.</u>	

### Table of minor and consequential changes

Plan Provision	Detail of proposed change	e		
Page numbers	Update page numbers.			
Footers	Change footer to read "Reg <a href="mailto:keg">Reg <a href="mailto:keg">date to be inserted&gt;)".</a></a>	ional Plan: Wa	ater for Otago (	Updated to
Title page	Change the date to read "U	pdated to <dat< td=""><td>te to be inserted</td><td><u>l&gt;</u>".</td></dat<>	te to be inserted	<u>l&gt;</u> ".
ISBN number	Obtain new ISBN numbers	for Regional F	Plan: Water for	Otago.
Chronicle of key events	Add the following to the en	d of table:		
	Key event	Date notified	Date decisions released	Date operative
	Plan Change 5A (Lindis: Integrated water management) to the Regional Plan: Water	8 August 2015	<date be="" inserted="" to=""></date>	<date be="" inserted="" to=""></date>
section 1.4	Proposed Plan Change 5A (Lindis: Integrated water management) sets minimum flows and allocation limits for the Lindis River and sets maximum allocation limits for the Ardgour Valley, Bendigo and Lower Tarras aquifers. It was notified on 8 August 2015, and a total of submissions and further submissions were received. Following the hearing, decisions on submissions received were released on Plan Change 5A was made operative on			
Schedule 2A	<ul> <li>Amend Schedule 2A as follows to provide greater consistency:</li> <li>List the catchments in alphabetical order</li> <li>Include the names of the flow monitoring sites as shown on the B-series of the Water Plan Maps.</li> </ul>			
Schedule 2B	<ul> <li>Amend Schedule 2B as follows to provide greater consistency:</li> <li>List the catchments in alphabetical order</li> <li>Include the names of the flow monitoring sites as shown on the B-series of the Water Plan Maps.</li> </ul>			
Water Plan Maps	Amend "Map B Index – Minimum Flow Catchment Boundaries and Monitoring Sites" to include the new Maps B6 and B7.			
	Amend "Map C Index – Aquifers, …" to include the new Maps C5 and C6 Update references in title to all Map C series, including reference to Schedule 4.			-

# Regional Plan: Water for Otago Maps